

1 of 2
Page 25
REG # 12310-33

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE IRRITATION. MAY IRRITATE NOSE, THROAT, AND SKIN. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists.
If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed when not in use. Product will freeze at temperatures below 32° F.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food stuff.

PESTICIDE DISPOSAL: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL: Triple rinse container. Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

FOR INDUSTRIAL/INSTITUTIONAL USE



WIPE-OUT

complete vegetation killer

ACTIVE INGREDIENT:

Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil) 2.5%

INERT INGREDIENTS..... 97.5%

U S Pats 3 352 862 & 3 235 357

EPA REG. NO. 12310-
EPA EST. NO. 12310-IL-1

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**FOR SALE TO, USE, AND STORAGE
BY SERVICEPERSONS.**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

CONTENTS: 1 GAL. (3.78L)

ACCEPTED

AUG 26 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **2310-33**

GENERAL INFORMATION

WIPE-OUT is an effective ready-to-use general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

IMPORTANT

Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and feeds. Thoroughly clean all traces of **WIPE-OUT** from application equipment immediately after use. Flush equipment with several changes of water.

WARRANTY STATEMENT

Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty of any kind expressed or implied, concerning the use of this product. The user assumes all risks of use of handling not in accordance with directions or suggestions.

MANUFACTURED BY



1021 South Noel, Wheeling, Illinois 60090
Phone 312-537-9400

EYU

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

WIPE-OUT should be used only in accordance with recommendations on this label.

Apply **WIPE-OUT** just before or during the period of active growth of plants to be controlled when rainfall can be expected for soil activation. If dense growth is present, results will be improved if vegetation is cut before treatment. Do not apply when ground is frozen.

For application with a hand-gun sprayer, be careful to obtain even distribution of the herbicide to the soil. For treating small areas, a tank-type hand sprayer may be used.

WEED CONTROL: To control most weeds for an extended period of time on noncropland areas such as RAILROAD, HIGHWAY AND PIPELINE RIGHT-OF-WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, AND INDUSTRIAL PLANT SITES, apply 12 to 24 gals. of **WIPE-OUT** per acre to control ANNUAL WEEDS and GRASSES such as brome grass, cheat grass, crab grass, foxtail, lambsquarters, orchard grass, puncturevine, ragweed, ryegrass, turkey mullein, and wild oats. When applied just prior to or after emergence of annuals, rates as low as 8 gals. per acre control many annual weeds and grasses in low rainfall areas and give short-term control in higher rainfall areas.

Apply 24 to 48 gals. of **WIPE-OUT** per acre to control PERENNIAL WEEDS and GRASSES such as aster, bahiagrass, broomsedge, dandelion, dogfennel, goldenrod, plantain, purpletop, quackgrass, redtop, smooth brome, and wild carrot. In areas with low or seasonal rainfall, rates as low as 20 gals. per acre control many perennial weeds and grasses.

Apply 48 to 96 gals. of **WIPE-OUT** per acre to control JOHNSONGRASS and OTHER HARD TO KILL PERENNIAL WEEDS and GRASSES such as bermudagrass, bouncingbet, bracken fern, dallisgrass, dogbane, horsetail, nutsedge,

DIRECTIONS FOR USE (Continued)

saltgrass, and vaseygrass. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the West, **WIPE-OUT** will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass.

Use the higher levels of the dosage ranges on adsorptive soils (usually those high in organic matter or carbon).

Retreatment: Apply 12 to 24 gals. of **WIPE-OUT** per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

BRUSH CONTROL: To control undesirable woody plants on non-cropland areas such as RAILROAD RIGHT-OF-WAYS, STORAGE AREAS, INDUSTRIAL PLANT SITES, AND DRAINAGE DITCHES.

Apply in spring or summer as a broadcast or basal (soil) treatment, for use on drainage ditches, apply as a basal (soil) treatment only.

Note: For effective brush control and prevention of damage to desirable vegetation, do not apply to brush standing in water, do not use water from treated ditches for irrigation, do not use in irrigation ditches nor on right of ways or other sites where marketable timber or other desirable trees or shrubs are immediately adjacent to the treated area.

Broadcast Treatment: Apply 18 to 40 gals. per acre to control oak, pine, sweet gum, and willow; apply 48 to 96 gals. per acre to control brush such as American elm, cottonwood, hackberry, sumac, and winged elm. Use the higher levels of the dosage ranges on adsorptive soils (those high in organic matter or carbon).

Basal (Soil) Treatment: Apply at the rate of 2 to 4 fl. oz. per stem 2" to 4" in basal diameter; wet base of stem to run-off. Treatment controls woody plants such as cottonwood, hackberry, maple, oak, poplar, red bud, sweet gum, wild cherry, willow, and winged elm.