

WATER TOWER TREATMENT

DIRECTIONS FOR USE

Apply MISCO Water Tower Treatment to all circulating water cooling towers, evaporative condensers, and other water cooling systems.

For best results, clear heavily contaminated systems before treatment with this product. If soap or anionic detergent is used, rinse thoroughly before charging with Water Tower Treatment. Apply Water Tower Treatment to each 5,000 gallons of water contained in the system every 7 days or more, should conditions indicate (5-15 ppm active quaternaries).

Periodic Dose: When system is clean, add 1.0 quart Water Tower Treatment to each 5,000 gallons of water contained in the system every 7 days or more, should conditions indicate (5-15 ppm active quaternaries).

IMPORTANT: Periodic dose amounts may be given, as needed. Algae potential and amount of surface area dependent for natural water evaporation and need of it should be considered as efficient preventative program for your particular water.

For best results, clear heavily contaminated systems before treatment with this product. If soap or anionic detergent is used, rinse thoroughly before charging with Water Tower Treatment. Apply Water Tower



misco

INTERNATIONAL
CHEMICALS, INC.

ACCEPTED

UNDER THE TERMS OF THE
FUNCTIONAL ACTIVITY
FOR ECONOMIC PRODUCTION
ED UNDER NO.

WATER TOWER TREATMENT

WATER TOWER TREATMENT

When MISCO Water Tower Treatment is used as directed, it will aid in controlling and/or preventing the development of unsanitary algae slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

Water Tower Treatment is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents. Water Tower Treatment at use dilution is non-corrosive to inanimate hard surfaces.

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear water goggles or face shield, and rubber gloves.

- Concentrated Algacide and Slimecide for Industrial recirculating water cooling towers.
- Helps keep water cooling tower systems clear and free of visible algae slimes.

Nonflammable and nonvolatile

ACTIVE INGREDIENTS

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)

dimethyl benzyl ammonium chlorides 5%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS 90%

100%

DANGER Keep Out of Reach of Children See Other Cautionary Statements on Right Side Panel

Rinse empty container thoroughly with water and discard

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENTS

GALS EPA Reg No 12310 2

 **INTERNATIONAL
CHEMICALS, INC.**

WATER TOWER TREATMENT

DIRECTIONS FOR USE

Apply MISCO Water Tower Treatment when the system is in a state of being affected, or after cleaning system with other cleaning agents, if any, applied.

Initial Dose: The should not be done until the system is cleaned with MISCO Chemical Cleaner of other agents and prepared NOT using soap or other anionic detergents. 2 gallons Water Tower Treatment to each 5,000 gallons of water contained in the system (20-40 ppm active quaternaries). Repeat until no slimes evident.

Periodic Dose: When system is in control, add 1-2 quarts Water Tower Treatment to each 5,000 gallons of water contained in the system every 7 days or sooner should visible growth appear (5-15 ppm active quaternaries).

IMPORTANT: Periodic dose amounts may be varied as needed. Algae potential and amount of corrosion or pitting for natural water evaporation and bleed off should be considered in an efficient preventative program for your particular system.

For best results; clean heavily contaminated systems before treatment with this product. If soap or anionic detergent is used, rinse thoroughly before charging with Water Tower Treatment. Apply Water Tower Treatment at a point in the system where uniform mixing will take place.

Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication that Water Tower Treatment has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter. This debris should be removed from the system to avoid clogging of screens and pipes.

FISH AND/OR WILDLIFE PRECAUTIONS - This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

MANUFACTURED BY




WHEELING, ILLINOIS 60090



misco

INTERNATIONAL
WHEELING, ILLINOIS 60090



WATER TOWER TREATMENT

- Concentrated Algacide and Slimecide for Industrial recirculating water cooling towers.
- Helps keep water cooling tower systems clean and free of visible algae slimes

Nonflammable and nonvolatile
ACTIVE INGREDIENTS:
 n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂) 5%
 dimethyl benzy ammonium chlorides 5%
 n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzy ammonium chlorides 90%
INERT INGREDIENTS 100%

DANGER Keep Out of Reach of Children. See Other Precautionary Statements on Right Side Panel

Rinse empty container thoroughly with water and discard
NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be indicated.

NET CONTENTS 5 GALS EPA Reg. No. 12310-2

WATER TOWER TREATMENT

When MISCO Water Tower Treatment is used as directed, it will aid in controlling and/or preventing the development of unsanitary algae slime conditions which are unsightly, produce foul odors and which are often the cause of equipment breakdown.

Water Tower Treatment is compatible with virtually all corrosion inhibition additives, but should not be used in the presence of soap or other anionic detergents. Water Tower Treatment at use dilution is non-corrosive to inanimate hard surfaces.

DANGER: Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear water goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

PROTECT FROM FREEZING.

HALES

Mint odor DISINFECTANT CLEANER • DEODORANT

Phenol Coefficient using A.O.A.C. method

- Salmonella typhosa - 15
- Staphylococcus aureus - 20
- Escherichia coli - 12

ACTIVE INGREDIENTS:

Alkyl (C ₁₄ , 58%; C ₁₆ , 28%; C ₁₂ , 14%) dimethyl benzyl ammonium chloride	4.00%
Isopropanol	4.00%
Methyl salicylate	1.00%
Total Active Ingredients	9.00%
INERT INGREDIENTS:	91.00%
TOTAL INGREDIENTS	100.00%

ACCEPTED
9/12/73
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
ED UNDER NO. 12316-3
FOR ALL COMMENTS.

WARNING

KEEP OUT OF REACH OF CHILDREN

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS AND FIRST AID STATEMENT)

MANUFACTURED BY

HALES SANITARY SUPPLY CO.

1401 12th St., N.W. — Phone: 247-9555

ALBUQUERQUE, NEW MEXICO

E.P.A. REG. NO. 12316-3

NET CONTENTS:

DIRECTIONS

M-15

This DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria and pathogenic fungi.

This DISINFECTANT is also an excellent deodorant. Use it to control odors, especially those that are microbial in nature.

This DISINFECTANT mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to porcelain, enameled surfaces, glass, tile, plastics and most common metals.

WARNING

KEEP OUT OF REACH OF CHILDREN: Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist. **DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk or raw egg white. If these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for disinfecting floors, walls, tables, counter tops and other porcelain, enamel, tile, plastic or vinyl surfaces or furnishings.

FOR DISINFECTION

1. Flush away surface soils with water where possible.
2. Clean with a solution of 2½ ounces of DISINFECTANT per gallon of water.
3. Rinse with clear water.
4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 2½ ounces of DISINFECTANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 4 ounces of DISINFECTANT per gallon of water. Thoroughly rinse treated food contact surfaces before reuse.

FOR DEODORIZING

For garbage cans and similar refuse areas, use a solution of 8 ounces per gallon of water. Spray or wet all surfaces.

