

COLD DISINFECTION

For disinfection or previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1-1/2 ounces SAN-203 per gallon of water for 10 minutes.

RESTAURANT AND BAR RINSE

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce SAN-203 to 4 gallons of water. No Terminal Potable Water Rinse Required.

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

SAN-203

**DISINFECTANT SANITIZER
DEODORIZER**

ACTIVE INGREDIENT:

n-Alkyl (60%C₁₄, 30%C₁₆, 5%C₁₂, 5%C₁₈) dimethyl benzyl ammonium chlorides 5%

n-Alkyl (68%C₁₂, 32%C₁₄) dimethyl ethylbenzyl ammonium chlorides 5%

INERT INGREDIENTS 90%
100%

SAN-203 is a concentrate and should be diluted before using.

NET CONTENTS: 55 gal.
EPA Reg. No. 12353-5

DANGER

Keep Out of Reach of Children.

12353-5

ACCEPTED
2 12-73
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ORGANIC POISON REGISTERED
ED UNDER NO. 12353-5 SUBJECT
TO ATTACHED CONTENTS.

OMEGA CHEMICAL COMPANY
6935 West 62nd Street
Chicago, Illinois 60638

SAN-203

DISINFECTANT SANITIZER DEODORIZER

ACTIVE INGREDIENT:

n-Alkyl (60%C ₁₅ ,30%C ₁₆ ,5%C ₁₂ ,5%C ₁₈) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68%C ₁₂ ,32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5%
INERT INGREDIENTS	90%
	100%

SAN-203 is a concentrate and should be diluted before using.

NET CONTENTS: 55 gal.
EPA Reg. No. 12353-5

DANGER

Keep Out of Reach of Children.

12353-5

ACCEPTED
2-12-73
THE FEDERAL INSECTICIDE
AND FUNGICIDE ACT
EPA REG. NO. 12353-5 SUBJECT
OF THIS LABEL

OMEGA CHEMICAL COMPANY
6935 West 62nd Street
Chicago, Illinois 60638

USE DIRECTIONS:

HOUSEHOLD

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply 1 ounce SAN-203 to 4 gallons of water. Disinfect with 3 ounces SAN-203 to 5 gallons of water. Kills Staphylococcus aureus and Salmonella choleraesius.

HOSPITALS

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use SAN-203 at 3-1/2 ounces per 5 gallons of water. At this level SAN-203 will be effective against Pseudomonas aeruginosa PRD-10.

FOOD PROCESSING EQUIPMENT

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce SAN-203 per 4 gallons of water to provide 200 ppm of active quaternary. At this level, No Potable Water Rinse is required.

DAIRIES

To sanitize dairy equipment, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce SAN-203 to 4 gallons of water (200 ppm). At this level, No Potable Water Rinse is required. Follow recommendation of local Health Board.