

CATCH 22

EPA Reg. No. 12367-3

Effective, Fast Acting **PYRENONE®** Insecticide.
For Use in Homes, Institutions, Restaurants
and Food Processing Plants.

Kills on contact exposed or accessible stages of:

- Roaches
- Silverfish
- Crickets
- Spiders
- Ants
- Fleas
- Caddisflies
- Flies
- Skippers
- Gnats
- Wasps
- Hornets
- Sand Flies
- Mosquitoes
- Bedbugs
- Meal Worms
- Grain Mites
- Rice Weevil
- Spider Beetles
- Cheese Mites
- Carpet Beetles
- Angoumois Grain Moth
- Confused Flour Beetle
- Saw Toothed Grain Beetle
- Mediterranean Flour Moth
- Brown Dog Ticks in Buildings
- Granary Weevil
- Red Flour Beetle
- Clothes Moths

ACTIVE INGREDIENTS: 100%

Pyrethrins	0.1%
Piperonyl Butoxide, Technical*	0.8%
Petroleum Distillate	99.1%

*Equivalent to 64% of (butylcarbitol) (6-propylpiperonyl) other and to 16% of related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contamination of feed and food stuffs.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets, birds, and cover fish aquaria before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.


Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

PYRENONE - Registered Trademark of FMC Corporation

NET CONTENTS GALLON

manufactured by

SANITARY SUPPLIES/CLEANING MATERIALS/MAINTENANCE EQUIPMENT
929 Fifth Ave - 928 Lysle Blvd - McKeesport, Pa 15132



EPA ESTABLISHMENT NO. 12367-PA-1

DIRECTIONS FOR USE

SPACE SPRAY: For rapid control of flies, fruit flies, mosquitoes, gnats, small flying moths, sand flies, wasps and hornets: Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before re-occupying. Keep the area closed for ten minutes after treating. Repeat application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silver fish, crickets, and spiders: Apply as a coarse wetting spray directed into locations where these insects may hide, behind baseboards, mouldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally. Repeat treatment as necessary.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overpray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

To control infestations of granary weevil, rice weevil, saw-toothed grain beetle, confused flour beetle, rusty grain beetle, red flour beetle, caddisflies, meal worms, grain mites, Angoumois grain moth, Indian meal moth, and Mediterranean flour moth in food storage areas: If possible, clean out and destroy any infested food products; otherwise, fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply this spray thoroughly to all surfaces of shelves, cabinets, bins, pantries, and similar food storage areas with particular attention to cracks, crevices, niches, and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs, and carpet beetles): Apply using conventional mechanical thermal or compressed air equipment. Fill the entire area with mist using 3 to 6 ounces per 1000 cubic feet of space. Repeat treatment as needed.

