### **USE DIRECTIONS:**

### Disinfection

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use \*TCC with a cloth or mop and apply to walls, floors and other hard surfaces.

#### Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons). NO RINSE REQUIRED ATTHIS LEVEL.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, inar.i.r.a.e., hard su: faces at 2 ounces per gallon of water, is effective against Influenza A<sub>2</sub>, Herpes Simplex Adenovirus type 2, and Vaccinia v s.

### PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard.

\*Triple Crown Cleaner

# TRIPLE CROWN CLEANER

CLEANER DEODORIZER DISINFECTANT FUNGICIDE

Designed for Hospital and Institutional Use

### **ACTIVE INGREDIENTS:**

n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18)</sub>
dimethyl benzyl ammonium chlorides 2.25%
n-Alkyl (68% C <sub>12,</sub> 32% C <sub>14)</sub> dimethyl
ethylbenzyl ammonium chlorides2.25%
Sodium Carbonate
INERT INGREDIENTS: 92.50%
100.0%


E.P.A. Establishment No. 12367-PA-1 E.P.A. Reg. No. 12367-7

NET CONTENTS:\_\_\_\_

## **DANGER**

Keep Out of Reach of Children. See right side panel for additional precautionary and first aid statements.

Manufactured by



\*TCC is a cleaner, disinfectant, and sanitizer designed for institutional use, such as, hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. \*TCC can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level No Potable Water Rinse is required.

## DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

