

This product is a cleaner, disinfectant, and sanitizer designed for institutional use, such as, hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. It can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi (Trichophyton interdigitale).

TRIPLE CROWN

ACCEPTED

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. CALL A PHYSICIAN IMMEDIATELY.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE - Store in a dry place no lower than 50°F or higher than 120°F.

DISPOSAL - Do not reuse empty container. Rinse thoroughly before discarding in trash. Residue left in container is extremely hazardous. Improper disposal of this product as a spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of properly according to label instructions, contact your local health or Environmental Control Agency, or the nearest Federal Government representative at the nearest EPA Regional Office for further information.

MAY 28 1985

Use for the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the purpose registered under EPA Reg. No. 12367-7

CLEANER
DEODORIZER
DISINFECTANT
FUNGICIDE

ACTIVE INGREDIENTS

N-ALKYL (C₁₄ 60%, C₁₈ 30%, C₁₂ 5%, C₁₆ 5%)
DIMETHYL BENZYL AMMONIUM CHLORIDES 2.25%
N-ALKYL (C₁₂ 68%, C₁₄ 32%)
DIMETHYL ETHYL BENZYL AMMONIUM CHLORIDES 2.25%
SODIUM CARBONATE 3.00%
INERT INGREDIENTS 92.50%
TOTAL 100.00%

EPA Reg. No. 12367-7
EPA Est. No. 12367-PA-1

DANGER

KEEP OUT OF REACH OF CHILDREN

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY AND FIRST AID STATEMENTS)

ONE GALLON

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTANT WITH ITS LABELING.

THIS PRODUCT HAS BEEN DESIGNED SPECIFICALLY FOR HOSPITAL AND INSTITUTIONAL USE.

DIRECTIONS

DISINFECTION

Use at 2 oz. per gallon. This product will be effective against Pseudomonas aeruginosa (PRD) 10 at this level. This has been substantiated by the AOAC Use Dilution Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use this product with a cloth or mop and apply to walls, floors and other hard surfaces.

SANITIZATION

MUST NOT BE USED ON FOOD CONTACT SURFACES. If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (1/2 oz. per 5 gallons.) POTABLE WATER RINSE REQUIRED.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, laminate, hard surfaces at 1/2 oz. per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

PHENOL COEFFICIENTS: Guarantid Magnum
S aureus 42
S typhosa 27

LICO

929 FIFTH AVENUE, MCKEESPORT, PA 15132
PHONE 412/422-3766

BEST AVAILABLE COPY