

UNDER THE FEDERAL
FUNGICIDE AND RODEN-
TOXIC ACT
FOR ECONOMIC PESTICIDE
 REG. UNDER NO. 123

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **LICO 30** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, **LICO 30** will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

LICO 30

Highly Concentrated Germicide
 Based on a Unique Blend of Quaternaries
 Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide*
 for Hospital, Home and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	104.0
Salmonella typhosa (ATCC No. 6539)	40.6

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Diocetyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
Dimethyl Benzyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraacetate	3.420%
Isopropyl Alcohol	3.000%

Inert Ingredients

81.080%
 100.000%

EPA Registration No.

12367-10

Net Contents

128 Fluid Oz. (1.0 Gal.)



SANITARY SUPPLIES/CLEANING MATERIALS/MAINTENANCE EQUIPMENT
 929 Fifth Ave • 928 Lysle Blvd • McKeesport, Pa. 15122

DANGER

KEEP OUT OF REACH OF CHILDREN. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

USE DIRECTIONS

Add 1/2 ounce (1 tablespoon) per gallon of water.

Apply **LICO 30** to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce (1 tablespoon) per gallon use-level, **LICO 30** is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of **LICO 30** is shown by its germicidal action against the following additional organisms.

Escherichia coli
Klebsiella pneumoniae
Aerobacter aerogenes (enterobacter)
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes

*At 1/2 ounce (1 tablespoon) per gallon use-level **LICO 30** is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A2 as represented by the strains commonly called the Hong Kong Flu and the London Flu virus, on inanimate environmental surfaces.

Rinse empty container with water before discarding.

EPA ESTABLISHMENT NO. 12367-PA-1