Toeprevent the development of Horn Files, Face Files, House	: Files
and Stable Files in the manure of treated cattle. ACTIVE INGREDIENT BY WE	ICUT
2-chfoto-1-(2,4,5-Trichiorophenyi) vinyi dimethyi phosphate 1	
INERT WGREDIENTS 98.	21%**
	.00%
GUARANTEED ANALYSIS	
Cafcfunt (Ca) Maximum 13.0% Minimum Phosphorus (P), not less than Maximum 9.0% Minimum lodine (I) and less than	lasses.
ं विज्ञानिक वास्ति को नामक्षेत्र वाल श्रमिक्रिकेस्य	,
ing grouping that is a finished of the second of the secon	
man the state of t	
The second state of the se	
ministrative settler in the contribution of the set of anyther.	
TO A BELLEVATOR OF THE ME	i de
son indicates the state and state according to the	a salah
	The second of
the contract division in the contract	The second secon
THE PROPERTY OF THE PROPERTY O	all all the
43.300	7. Thus
Manufactured by In	E TIME
Manufactured by GOLDEN SUN FEEDS, INC.	
Manufactured by GOLDEN SUN FEEDS, INC. 3378 General Office, Estherville, Ipwa 51334	S) ME LAMEL
Manufactured by GOLDEN SUN FEEDS, INC. 3378 General Office, Estherville, Ipwa 51334	

Hi Phos "12" Larvi-B

DIRECTIONS FOR USE GENERAL CLASSIFICATION ..

It is a violation of Federal law to use this product in a manner inconsistent with this labeling.

Feed Golden Sun Feeds Hi Phos "12" Larvi Ban at the rate of one ounce per 750 pounds of body weight per head per day by mixing it into the ground grain or complete daily ration.

Start feeding Golden Sun Feeds Hi Phos "12" Larvi-Ban early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Golden Sun Feeds Hi Phos "12" Larvi-Ban may be fed up to slaughter and to lactating dairy cows.

Golden Sun Hi Phos "12" Larvi-Ban prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some care Applicantial in control neasures hay be needed in and around dattle lots and belittings to control abult house flies and stable flies which can breed not only in cattle manure but in other

decaying vegitable mater or slage on the premise.

In order to ichieve optimum ily control Golden sun Feeds Hi Phos
"12" Larvi But should be used ring emplure from with other good
managemen and similation of the perficide.

194. Ma

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide

containers, or bury in a safe place.

or interest cond