AquaMaid

WINTER ALGAECIDE 15

FOR CONTROL OF ALGAE IN SWIMMING POOLS

ACTIVE INGREDIENTS

n-Aftkyi [60% C14, 30% C16, 5% C12, 5% C18] dimethyl benzyl ammonium chlorides

n-Digityl [80% C14, 30% C16, 5% C12, 5% C18] methyl benzyl ammonium chlorides

INERT INGREDIENTS

TOTAL

DANGER

KEEP OUT OF REACH OF CHILDREN THE OTHER WARNINGS ON BACK OF CAME

The State of the S

July 24, 1944 124544

DIRECTIONS

treatment the first year.

To apply, dissolve 1 to 3 lbs. Brite-N-Clear Ponds per gallon of water. Apply by spraying, using a coarse nozzle, or by any other method that will give relatively even application of the chemicals to the area to be treated. A minimum of 2 treatments are recommended the first year (early spring and mid-summer). Ponds that have experienced extremely heavy, or continuous algae blooms may require an additional

Entire Pond Treatment - Treat at a rate of 200 lbs. per acre for ponds with an average depth of 4 feet or more. For shallower ponds use 100 lbs. per acre. Ponds with heavy algal growth should be treated in halves (or less) to prevent depletion of oxygen due to decomposition of settled algae, with treatments spaced at least 7 days apart.

Spot Treatments - Calculate the number of square feet of the patch to be treated and treat at the rate of 1 ib. per 100 square feet.

FISH CAUTION

Fish may be killed at application rates recommended on this label.

WARNING

Keep out of reach of children. The powder and concentrated liquid will cause skin and eye irritation. Do not allow contact with skin, eyes, or clothing. In case of contact, flush thoroughly with water. If irritation persists, get medical attention immediately. DO NOT reuse container; destroy or dispose of in a safe manner. Rinse equipment thoroughly after use to prevent corrosion, and to prevent contamination of other chemicals.

NOTE: Areas treated with Brite-N-Clear Ponds may be used for fishing immediately, and for swimming after cloudiness has disappeared.

PERMANENT ALGAECIDE

One application of permanent algaecide will prevent the growth of most algae, as well as give the water a sparkling clarity.

INITIAL TREATMENT

Pour throughout the pool, one gallon of permanent algaecide for every 10,800 gallons of pool water (½) gallon for every 5,400 gallons). Super chlorinate the pool water several hours prior to algaecide application. Follow directions on the product label for super chlorination. Allow the chlorine residual to settle back to 1.0 to 1.5 ppm before any bathers resume swimming.

It may be necessary to repeat initial dosage at the same rate to make up water, in order to maintain the proper concentration of algaecide in the pool.

WINTERIZING

Permanent algaecide will prevent the growth of most algae during the winter months. Clean and vacuum pool before use. Apply at same rate as initial dosage. To insure proper concentration, it is suggested that initial dosage be repeated. Rinse empty container thoroughly with water and discard it.

CAUTION

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.

RECOMMENDED FOR USE IN VINYL LINER POOLS ONLY.

MANUFACTURED BY AQUA CHEMICAL CORP. SPRINGFIELD, MASS. 01108



E.P.A. REG. 12465-10