

MOLD RESISTANT • WATERPROOF

"Rodent Cake"

DIRECTIONS: Place "RODENT CAKE" in locations where rats and mice are accustomed to feed, travel, drink or live. Place bait in secluded corners, along walls, under cover where rats and mice feel safe to feed.

RATS: Place at least 2 RODENT CAKES in areas where rats are accustomed to feed unobserved. Assure an uninterrupted supply of bait for a period of not less than 15 days and continue baiting until all signs of feeding have stopped.

MICE: Break "RODENT CAKE" into 4 pieces and place at 4 to 10 ft intervals where mice are active. Assure an uninterrupted supply for a period of not less than 15 days.

Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals or placed in tamperproof bait boxes.

If swallowed by humans, pets, wildlife or domestic animals, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. In case of ingestion, call a physician.



Manufactured by



MADISON, WIS. 53705



**MOLD RESISTANT
WATERPROOF**



CAUTION

KEEP OUT OF REACH OF CHILD

(See back panel for additional precautions)

NET WEIGHT

ONE PO

ACTIVE INGREDIENT

Diphacinone
(2-diphenyl-1,3-indandione)


INERT INGREDIENTS

TOTAL


100.00

EPA REG NO. 12455-5AA


**MOLD RESISTANT
WATERPROOF**




"Rodent Cake"



EPA EST. NO. 12465 WI-1



CAUTION
KEEP OUT OF REACH OF CHILDREN
(See back panel for additional precautions)
NET WEIGHT ONE POUND




4 CAKES



EPA REG NO. 12465-SAA

ACTIVE INGREDIENT	
Disinfectant	
(2-Disinfectant - 1, 3-Induction)	99.99%
INERT INGREDIENTS	0.01%
TOTAL	100.00%

MADISON, WIS. 53705



**MOLD RESISTANT
WATERPROOF**



EPA REG NO. 12455 - 5AA

CAUTION

KEEP OUT OF REACH OF CHILDREN

(Source: *Journal of the American Statistical Association*, 1990, 85, 1031-1042.)

NET WEIGHT ONE POUND

ACTIVE INGREDIENT

Diphacinone	
(2-diphenylacetyl - 1, 3 - indandione)	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%