

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 15, 2015

John Lublinkhof Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Subject: Notification per PRN 98-10 – To add a state of California restriction Product Name: Ditrac All-Weather Cake EPA Registration Number: 12455-5 Application Date: July 28, 2015 Decision Number: 508909

Dear Dr. Lublinkhof:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 12455-5 Decision No. 508909

If you have any questions, you may contact Gene Benbow at 703-347-0235 or via email at <u>Benbow.Gene@epa.gov</u>.

Sincerely,

) for X

Mark Suarez, Product Manager 07 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

OUTER CONTAINER - COMPLETE LABEL - PACKAGE WEIGHTS 4 LB. OR GREATER

# **DITRAC**<sup>®</sup>

All-Weather Cake

This product May Only be Used Inside and Within 100 Feet of Man-made Structures

Mold Resistant Moisture Resistant

PEANUT FLAVORED

#### NOTIFICATION

KILLS RATS, MICE, AND MEADOW VOLES\*

KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE

# KEEP OUT OF REACH OF CHILDREN CAUTION

\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat

12455-5 The applicant has certified that no changes, other than those reported to

the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/15/2015

#### FIRST AID

# HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

#### **IF SWALLOWED:**

•Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

•Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

#### IF ON SKIN:

•Wash with plenty of soap and water.

#### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.


#### NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans and dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin  $K_1$  intramuscularly or orally.

See Back/Side Panel for First Aid and additional precautionary statements.

NET WEIGHT: 4 -50 lb.

Manufactured by:



EPA REG. NO. 12455-5

EPA EST. NO. 12455-WI-1

Batch Code:

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

**IMPORTANT**: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent exposure:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, non-target mammals, or birds may have access to the bait placement location.

**USE RESTRICTIONS:** This product may only be used to control the following rodent pests in and around man-made structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rats<sup>\*</sup> (*Sigmodon hispidus*), Eastern harvest mouse<sup>\*</sup> (*Reithrodontomys humuli*), Golden mouse<sup>\*</sup> (*Ochrotomys nuttalli*), Polynesian rat<sup>\*</sup> (*Rattus exulans*), Meadow vole<sup>\*</sup> (*Microtus pennsylvanicus*), White-throated woodrat<sup>\*</sup> (*Neotoma albigula*), Southern plains woodrat<sup>\*</sup> (*Neotoma micropus*), and Mexican woodrat<sup>\*</sup> (*Neotoma mexicana*). This product must be used in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with Ditrac All-Weather Cake is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

Do not sell this product in individual containers holding less than 4 pounds of bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats, mice or meadow voles<sup>\*</sup> will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

## **APPLICATION DIRECTIONS:**

Each DITRAC All-Weather CAKE consists of a one-pound slab scored to be broken into sixteen – 1 oz. pieces.

**RATS**: Break and apply 4 to 16 pieces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*:** Use one-1 oz. piece per bait placement. Space placements at 8 to 12 foot intervals. Two-1 oz. pieces may be needed at points of very high activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\* activity cease.

**FOLLOW-UP**: Replace contaminated or spoiled bait immediately. Using gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

## PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

**CAUTION**: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

#### **Environmental Hazards**

This product is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

INNER CONTAINER - COMPLETE LABEL – PACKAGE WEIGHT 2 LB.

# DITRAC®

All-Weather Cake

This product May Only be Used Inside and Within 100 Feet of Man-made Structures

Mold Resistant Moisture Resistant

PEANUT FLAVORED

KILLS RATS, MICE, AND MEADOW VOLES\*

> KEEP OUT OF REACH OF CHILDREN CAUTION

\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat

#### FIRST AID

# HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

#### **IF SWALLOWED:**

•Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

•Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

#### **IF ON SKIN:**

•Wash with plenty of soap and water.

#### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

#### NOTE TO PHYSICIAN OR VETERINARIAN

Anticoagulant Diphacinone: If swallowed, this material may reduce the clotting ability of blood and cause bleeding. For humans and dogs that have ingested this product and/or have obvious poisoning symptoms (bleeding or prolonged prothrombin times), give Vitamin K<sub>1</sub> intramuscularly or orally.

See Back/Side Panel for First Aid and additional precautionary statements.

NET WEIGHT: 2 lb.

**Bell Laboratories, Inc.** 

Manufactured by:

Batch Code:

3699 Kinsman Blvd. Madison, WI 53704 EPA REG. NO. 12455-5

EPA EST. NO. 12455-WI-1

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

**IMPORTANT**: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent exposure:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, non-target mammals, or birds may have access to the bait placement location.

**USE RESTRICTIONS:** This product may only be used to control the following rodent pests in and around man-made structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rats<sup>\*</sup> (*Sigmodon hispidus*), Eastern harvest mouse<sup>\*</sup> (*Reithrodontomys humuli*), Golden mouse<sup>\*</sup> (*Ochrotomys nuttalli*), Polynesian rat<sup>\*</sup> (*Rattus exulans*), Meadow vole<sup>\*</sup> (*Microtus pennsylvanicus*), White-throated woodrat<sup>\*</sup> (*Neotoma albigula*), Southern plains woodrat<sup>\*</sup> (*Neotoma micropus*), and Mexican woodrat<sup>\*</sup> (*Neotoma mexicana*). This product must be used in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with Ditrac All-Weather Blox is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

Do not sell this product in individual containers holding less than 4 pounds of bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats, mice or meadow voles<sup>\*</sup> will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

# **APPLICATION DIRECTIONS:**

Each DITRAC All-Weather CAKE consists of a one-pound slab scored to be broken into sixteen – 1 oz. pieces.

**RATS**: Break and apply 4 to 16 pieces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*:** Use one-1 oz. piece per bait placement. Space placements at 8 to 12 foot intervals. Two-1 oz. pieces may be needed at points of very high activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\* activity cease.

**FOLLOW-UP**: Replace contaminated or spoiled bait immediately. Using gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

## PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

**CAUTION**: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

#### **Environmental Hazards**

This product is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

#### **OPTIONAL MARKETING STATEMENTS:**

With Diphacinone For Use in and Around Homes and Buildings For Use in and Around Agricultural Buildings Palatable Formulation All-Weather Bait All-Weather Formula Multi-Edge Shape Gives Rodents Gnawing Edges Can be Used Indoors or Out Can be Used Alone or in Tomcat Bait Stations Ideal for Use in Tomcat Bait Stations Made in USA Block Form Bait All-Weather Cake

# **OPTIONAL GRAPHICS WITHOUT TEXT:**







# **OPTIONAL GRAPHICS WITHOUT TEXT (Cont'd.):**



091515