PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Exposure during pregnancy should be avoided. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. When mixing baits, wear dust respirator and rubber gloves. If on skin, wash with soap and water.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K_1 intramuscularly or orally, as indicated in bishydroxycoumann overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams or ponds.

Pm-14-

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

MIXING DIRECTIONS

Thoroughly mix one part of Concentrate with 19 parts of a suitable balt material (cereal, grain, fish, meat, and vegetable). For example, mix 11 parts rolled oat groats, 6 parts whole yellow ground commeal, one part sugar, and one part corn oil with one part of Diphacinone Concentrate. Blend 20 minutes in a rotary blender.

USE RESTRICTIONS: For control of Norway rats, Root rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Treated baits must be placed in locations not accessible to children, pets, domestic animals or wildlife or in tamperproof bait boxes.

Place meat and fish baits only in tamperproof bait boxes or deeply into rat burrows because dogs and cats will actively search them out.

Do not place beit in areas where there is a possibility of contaminating four or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS:

Determine areas where rats and/or mice will most likely find and consume the heir Genernity these areas are along wails, by gnawiid openings, in or ueside burrows, in corners and conculied places, butween floors and walls,

DIPHACINONE CONCENTRATE

12455-9

A CONCENTRATE FOR PREPARING BAITS TO KILL NORWAY RATS, ROOF RATS, AND HOUSE MICE.

CAUTION KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements.

EPA REG NO. 12455-9 EPA EST NO. 12455-WI-1

NET CONTENTS 50 LBS. (22.7 kg)

Manufactured by BELL LABORATONIED, INC. P T E D Madison, WI 1370-0154E P T E D

اللغان المراجع 1 (1988 المراجع 1) Under the Foderal Indextantian and Rodeaty cut and Act. 12 Stretched. for the

pesience restanted godg

or in locations where rodents or their signs have been observed. Remove as much lood as possible.

10+

APPLICATION DIRECTIONS

RATS: Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE: Replace contaminated or spoiled bait immediately.

If perishable baits (meat, fish, or vegetable) are used, place fresh baits in late alternoon. Replace daily with fresh baits.

Collect and dispose of all dead animals and unconsumed bait property. To prevent reinfestation, eliminate focd, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE ANJ DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store only in original container, in a dry area inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty carton into application aquipment. Then dispose of empty carton in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Warranty: Selier makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST AVAILABLE COPY