

REREGISTERED

ACCEPTED
DEC 8 1982
EPA REG. NO. 12455-12AA
EPA EST. NO. 12455-W1-1

ErazeTM

READY TO USE BAIT FOR RATS AND MICE

Contains
"MICRO ENCAPSULATED"
WARFARIN

KILLS RATS, AND MICE

ACTIVE INGREDIENT:		
Warfarin, 3-(alpha-Acetonylbenzyl)-4-hydroxycoumarin.....	0.025%	
INERT INGREDIENTS.....	99.975%	
		TOTAL 100.000%

CAUTION
KEEP OUT OF REACH OF CHILDREN
See additional cautions below

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.
NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD
Keep Out of Lakes, Streams or Ponds

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
USE RESTRICTIONS: For control of Norway rats, Roof rats, and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures.
Treated baits must be placed in locations not accessible to children, pets, domestic animals or wildlife or in tamperproof bait boxes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.
SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.
APPLICATIONS DIRECTIONS
RATS: Apply 3 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.
MICE: Apply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.
RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait promptly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DISPOSAL

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

NET WEIGHT 5 LBS.

EPA REG. NO. 12455-12AA
EPA EST. NO. 12455-W1-1



Manufactured by BELL LABORATORIES, INC., Madison, Wisconsin 53704 U.S.A.

BEST AVAILABLE COPY