

Reg # 12455-16-

KM-111

181

rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas.

APPLICATION DIRECTIONS: Evenly sprinkle 3 to 6 grams (one to two level teaspoonful amounts) of ZP Tracking Powder in approximately 3 by 24 inch patches. ZP Tracking Powder may be dusted into wall voids, spaces between floors or into burrows by utilizing hand-powered dusters such as bulb or bellows type. Maintain ZP Tracking Powder in treated areas for at least 20 days. Where accessible collect and dispose of all dead animals and used powder properly.

Do not treat the same area with this product at less than 30 day intervals.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

PATENT PENDING



Manufactured by
Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

ZP TRACKING POWDER
FOR INDOOR USE ONLY
KILLS HOUSE MICE

ACTIVE INGREDIENT Zinc Phosphide 10%
INERT INGREDIENTS 90%
Total 100%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object.

Avoid use of all oils. Have patient lie down and keep warm.

Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If on skin or in eyes—Flush with plenty of water.
See right side panel for additional precautionary statements.

EPA EST. NO. 12455 WI-1 EPA REG. NO. 12455-16 AA
NET CONTENTS 25 lbs. (11.36 Kg.)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Use against the house mouse, inside homes, industrial and agricultural buildings, and similar manmade structures. ZP Tracking Powder may be dusted into exterior openings of structures where mice can enter. ZP Tracking Powder must be placed in locations not accessible to children, pets, domestic animals and wildlife, or in tamper-proof bait boxes. Do not place ZP Tracking Powder in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry, acid-free areas where mice will most likely pick up ZP Tracking Powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where

ACCEPTED
JAN 25 1982
U.S. Dept. of Agriculture,
Federal Insecticide and Rodenticide Act,
as amended for the pesticide
registered under
EPA Reg. No. 12455-16

BEST AVAILABLE COPY