

Reg # 12455-16

PM-14

191

rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas.

APPLICATION DIRECTIONS: Evenly sprinkle 3 to 6 grams (one to two level teaspoonful amounts) of ZP Tracking Powder in approximately 3 by 24 inch patches. ZP Tracking Powder may be dusted into wall voids, spaces between floors or into burrows by utilizing hand-powered dusters such as bulb or bellows type. Maintain ZP Tracking Powder in treated areas for at least 20 days. Where accessible collect and dispose of all dead animals and used powder properly.

Do not treat the same area with this product at less than 30 day intervals.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry acid-free place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



Manufactured by
Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

ZP TRACKING POWDER

FOR INDOOR USE ONLY
KILLS HOUSE MICE

ACTIVE INGREDIENT . . . Zinc Phosphide 10%
INERT INGREDIENTS 90%
Total 100%

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

Any persons applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician immediately.

If swallowed—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object.

Avoid use of all oils. Have patient lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin or in eyes—Flush with plenty of water.

See right side panel for additional precautionary statements.

EPA EST. NO. 12455 WI-1

EPA REG. NO. 12455-16 AA

NET CONTENTS 25 lbs. (11.4 Kg)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Use against the house mouse, inside homes, industrial and agricultural buildings, and similar manmade structures. ZP Tracking Powder may be dusted into exterior openings of structures where mice can enter. ZP Tracking Powder must be placed in locations not accessible to children, pets, domestic animals and wildlife, or in tamper-proof bait boxes. Do not place ZP Tracking Powder in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry, acid-free areas where mice will most likely pick up ZP Tracking Powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where

ACCEPTED

AUG 22 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for use pesticide
registered under
EPA Reg. No. 12455-16

REREGISTERED

BEST AVAILABLE COPY