

PM 14 12455-16

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Use against the house mouse, inside homes, industrial and agricultural buildings, and similar manmade structures. ZP TRACKING POWDER may be dusted into exterior openings of structures where mice can enter. ZP TRACKING POWDER must be placed in locations not accessible to children, pets, domestic animals or nontarget wildlife. If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open-floor areas or on rafters of rooms in which food or feed is handled or stored. Do not place ZP TRACKING POWDER in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry, acid-free areas where mice will most likely pick up ZP TRACKING POWDER on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas.

APPLICATION DIRECTIONS:

Evenly sprinkle 3 to 6 grams (one to two level teaspoonful amounts) of ZP TRACKING POWDER in approximately 3 by 24 inch patches. ZP TRACKING POWDER may be dusted into wall voids, spaces between floors or into burrows utilizing hand-powered dusters such as bulb or bellows type. Maintain ZP TRACKING POWDER in treated areas for at least 20 days. Where accessible, collect and dispose of all dead animals and used powder properly. Do not treat the same area with this product at less than 30 day intervals.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

ZP[®] TRACKING POWDER

FOR INDOOR USE ONLY
KILLS HOUSE MICE

ACTIVE INGREDIENT: Zinc Phosphide 10%
INERT INGREDIENTS 90%
TOTAL 100%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

(See right panel for additional precautionary statements.)

NET CONTENTS: 1.1 lb. (500 gm)

EPA EST. NO. 12455-WI-1 EPA REG. NO. 12455-16

Mfg by



Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

ACCEPTED
SEP 5 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 12455-16

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store only in original container, in a dry acid-free place inaccessible to children and pets. Avoid contact with acids. Do not store around the home.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed or inhaled. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

Any persons applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician, immediately.

IF SWALLOWED: Immediately call a Poison Control Center or physician, or transport the patient to the nearest hospital. Do not drink water. Do not administer anything by mouth or make the patient vomit unless advised to do so by a physician.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams and ponds.

BEST AVAILABLE COPY

124