

12455-16

12-16-2008

1/4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

December 16, 2008

Dr. John Lublinkhof
Bell Laboratories Inc.
3699 Kinsman Blvd.
Madison, WI 53704

Dear Dr. Lublinkof,

Subject: Formulation Change and Revised Labeling
ZP Tracking Powder
EPA Registration No. 12455-16
Your submission dated July 24, 2008

The confidential statement of formula dated July 11, 2008 for the basic formulation has been reviewed and is acceptable. All other previous basic confidential statements of formula are considered obsolete. As a result of reregistration, changes to the label were required for the product. The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. The Agency expects to complete reregistration of this product in the near future. If you have any questions, please contact Jennifer Gaines at (703) 305-5967.

Regards,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized circular flourish.

John Hebert
Insecticide-Rodenticide Branch
Registration Division (7505P)

2
4

RESTRICTED-USE PESTICIDE

Due to Acute Oral Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

ZP[®]

Tracking Powder

For Indoor Use Only

KILLS HOUSE MICE

ACCEPTED
DEC 16 2008
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 12455-16

ACTIVE INGREDIENT:

Zinc Phosphide (CAS #1314-84-7)10%

INERT INGREDIENTS:..... 90%

TOTAL 100%

KEEP OUT OF REACH OF CHILDREN

DANGER – POISON

PELIGRO



FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

Any persons applying zinc phosphide products and experiencing signs or symptoms such as nausea, abdominal pain, tightness in the chest, or weakness should be seen by a physician immediately.

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice or transport to the nearest hospital.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN OR CLOTHING:

- Remove contaminated clothing.
- Rinse skin immediately with plenty of water for 15 – 20 minutes. Get medical attention.
- Call a poison control center or doctor immediately for treatment advice.

IF INHALED:

- Remove person to fresh air.
- If not breathing, give artificial respiration, preferably mouth to mouth. Call 911 or ambulance.
- Call a poison control center or doctor immediately for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor immediately for treatment advice.

ZP Tracking Powder
EPA Reg. No.: 12455-16

3
4

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

NET WEIGHT: 4 oz. - 25 lb.

Manufactured by:



Bell Laboratories, Inc.
3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.

EPA Reg. No.: 12455-16

EPA Est. No.: 12455-WI-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

USE RESTRICTIONS: For control of house mice in and around homes, industrial, commercial, agricultural, and public buildings, and similar man-made structures. ZP TRACKING POWDER may be dusted into exterior openings of structures where mice can enter. ZP TRACKING POWDER must be placed in locations not accessible to children, pets, domestic animals or nontarget wildlife. If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open floor areas or on rafters of rooms in which food or feed is handled or stored. Do not place ZP TRACKING POWDER in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry, acid-free areas where mice will most likely pick up ZP TRACKING POWDER on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls, or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force mice to travel through constricted areas.

APPLICATION DIRECTIONS:

Evenly sprinkle 3 to 6 grams (one to two level teaspoonful amounts) of ZP TRACKING POWDER in approximately 3 by 24 inch patches. ZP TRACKING POWDER may be dusted into wall voids, spaces between floors or into burrows utilizing hand-powered dusters such as bulb or bellows type. Maintain ZP TRACKING POWDER in treated areas for at least 20 days. While wearing gloves, where accessible, collect and dispose of all dead animals and used powder properly as stated on this label. Do not treat the same area with this product at less than 30 day intervals.

515

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Fatal if swallowed. May be harmful if absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear coveralls over long sleeved shirt and long pants, socks, chemical resistant shoes, chemical resistant gloves (such as or made out of any waterproof material, selection category A), and a dust/mist respirator with any N, R, P, or HE filter.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing, Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

121008