

**DIRECTIONS**

**NORWAY AND ROOF RATS:** Place at least 3 to 16 oz. of bait in stations next to burrows in runways along walls or where rats are accustomed to feed. 3 oz. of bait is sufficient to kill a rat. Assure an uninterrupted supply of bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

**HOUSE MICE:** Place tablespoon amounts (1.4 to 1.2 oz.) of bait in stations (8 to 12 feet apart) where mice or signs of mice have been seen. Assure an uninterrupted supply of bait for a period of not less than 15 days.

Replace stale, damp or moldy bait with fresh bait. Placing bait in concealed locations where rats and mice can feed undisturbed is desirable. This rodenticide contains diphacinone, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings causes fatal hemorrhage in rats and mice.

# P.C.Q.<sup>TM</sup>

## RAT AND MOUSE BAIT

READY TO USE BAIT FOR RATS AND MICE

**ACTIVE INGREDIENT**

Diphacinone 2-(Diphenylacetyl)-1,3-indandione 0.05%

**INERT INGREDIENTS**

TOTAL 100.000%

### CAUTION

KEEP OUT OF REACH OF CHILDREN  
(See additional cautions on back panel)

NET WEIGHT 3 OZ.



**CAUTION**

Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals or in tamperproof boxes, kegs, drums, lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as stated on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes if swallowed by humans, pets, domestic animals or wildlife. This material may reduce the clotting ability of the blood and cause bleeding in such cases. Intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. In case of ingestion, call a physician.

Manufactured by BELL LABORATORIES, INC. Madison, Wis. 53703

EPA REG. NO. 12455-19

**ACCEPTED**  
FEB 3 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-19

ACCEPTED

1973

Does the Fish Inspection  
Department use this product?  
If not, please advise.

# P.C.O.<sup>TM</sup>

## RAT and MOUSE BAIT

**Contains  
Diphacinone**



**READY  
TO USE  
BAIT  
FOR RATS  
AND MICE**

**CAUTION**

**KEEP OUT OF REACH  
OF CHILDREN**

See additional cautions  
on back panel

**ACTIVE INGREDIENT**—Diphacinone  
2-(Diphenylacetyl)-1, 3-indandione ..... 005%

**INERT INGREDIENTS** ..... 99.995%

TOTAL 100.000%

**NET WEIGHT 1 lb. (454 g.)**

### DIRECTIONS

**NORWAY AND ROOF RATS** Place at least 3 to 16 oz. of bait in stations next to burrows, in runways along walls or where rats are accustomed to feed. 3 oz. of bait is sufficient to kill a rat. Assure an uninterrupted supply of bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

**HOUSE MICE** Place tablespoon amounts (1/4 to 1/2 oz.) of bait in stations (8 to 12 feet apart) where mice or signs of mice have been seen. Assure an uninterrupted supply of bait for a period of not less than 15 days.

Replace stale, damp, or moldy bait with fresh bait. Placing bait in concealed locations where rats and mice can feed unobserved is desirable.

This rodenticide contains diphacinone, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings causes fatal hemorrhage in rats and mice.

CAUTION