

PM 14 41 WD
28-55761
181
page

ACCEPTED
MAR 15 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 18455-22

READING DIRECTIONS: See label for use of concentrate and dilution instructions.
APPLICATION DIRECTIONS: For RATS, use a minimum of 1/2 cup of bait per 100 sq. ft. of area to be treated. For MICE, use a minimum of 1/4 cup of bait per 100 sq. ft. of area to be treated. Apply bait in small amounts in numerous locations throughout the area to be treated. For RATS, use a minimum of 1/2 cup of bait per 100 sq. ft. of area to be treated. For MICE, use a minimum of 1/4 cup of bait per 100 sq. ft. of area to be treated. Contact your local health department for more information. Where a continuous source of infestation is present, re-baiting may be necessary.
STORAGE AND DISPOSAL: Store in original container in a cool, dry place inaccessible to children and pets. Do not reuse empty container. See label for disposal instructions.
ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not feed to animals or birds. Do not use in areas where people, dogs, cats, and other animals are present.

Liqua-Tox[®]

KILLS RATS AND MICE

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

ACTIVE INGREDIENT	Sodium Salt of Warfarin, 3-(alpha-Acetylmethyl-4-hydroxycoumarin), sodium salt . . . 8.1%
INERT INGREDIENTS	. . . 91.9%
TOTAL	100.0%


**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS AND DOMESTIC ANIMALS:**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.
NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

NET CONTENTS 1.68 FL. OZ. (49.68 ML.)

EPA EST. NO. 12455-W-1 EPA REG. NO. 12455-22



DIRECTIONS FOR USE:
READ THIS LABEL: Read the entire label and the use directions and all precautions carefully. Do not suppose children, pets, or other mammals are immune to poisons. Always use proper precautions.
1. Store product out of use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals, and birds, and never in the presence of children. These locations must be resistant to tampering by dogs and by children under six years of age and must be out of the reach of animals which threaten tampering with the bait compartments and containers. If bait can be taken from animals when they are eating, it must be secured to eliminate tampering. Even stronger baits should be used in areas where animals are present.
3. Dispose of product container and unused bait as instructed on the label.
USE RESTRICTIONS: For control of Norway rats, Roof rats, and House mice in and around homes, industrial buildings, and similar man-made structures. Do not apply bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.
SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely feed and consume the bait. Generally, there is a strong preference for grain, especially in or beside burrows, in corners and concealed places, between floors and walls, or in locations where nesting or their signs have been seen. Present bait from grain or other known alternative sources of water as much as possible.

BEST AVAILABLE COPY