12455-02

11/19/2003

Pope 135

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

November 19, 2003

<u>300</u> 17 5-746691

Bell Laboratories Inc. 3699 Kinsman Boulevard Madison, WI 53704

Attention: Mr. Craig A. Riekena

Subject: Liqua-Tox® EPA Reg. No. 12455-22 Your amended application of September 19, 2003

Purpose The purpose of this submission is to revise your label in accordance with PR Notices 2001 and 2001-6 and to make other minor changes.

Label review The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

1. On the Front Panel, under "Liqua-Tox", add:

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

- 2. Change "RATS & MICE" to "FOLLOW-UP".
- 3. Begin "MIXING DIRECTIONS:" with "Wearing waterproof gloves, thoroughly ... of water.
- 4. Under "CAUTION", add this 2nd Sentence: "Wear waterproof gloves when handling the concentrate or liquid bait."

Page 2 of 2

Existing Stocks of existing labels may be used for eighteen (18) months. stocks

Consequence
for non-
complianceIf these conditions are not complied with, the registration will be subject to
cancellation in accordance with FIFRA section 6(e). Your release for shipment of
the product constitutes acceptance of these conditions.

Questions If you have questions about this letter, please contact me at 703-305-5407 (by phone), 703-305-6596 (by fax), or <u>peacock.dan@epa.gov</u> (by E-Mail).

Sincerely yours,

OBA

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C) 275

Letter

Dan Peacock, Disk128,A:\NA Salt of Warfarin\12455-22,10-28-2003, revised label.wpd

Liqua-Tox

ACTIVE INGREDIENT: Sodium Salt of Warfarin (CAS #129-06-6) 0.54% 99.46% INERT INGREDIENTS:

TOTAL 100.000% 375

ACCEPTED ith **Co**mme KEEP OUT OF REACH OF CHILDRE PA Letter Dated CAUTION NOV 1 9 2003

FIRST AID

FIRST AID Under the Federal Insecticity HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT as amended, for the pesticide **IF SWALLOWED:**

•Call a poison control center, doctor, or 1-877-854-2494 immediately for ireatment advice.

•Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor. IF ON SKIN:

•Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times..

Net Contents: 1.68 fl. oz. (49.68 ml)

Manufactured by:

Bell Laboratories, Inc. Madison, WI 53704

EPA REG. NO.12455-22

EPA EST. NO. 12455-WI-1

DIRECTIONS FOR USE

475

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

MIXING DIRECTIONS: Thoroughly mix contents of one 1.68 fl. oz. package in 1 quart (32 fluid ounces) of water.

APPLICATION DIRECTIONS:

Ł

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX in each dispenser (suitably-equipped bait station, chick fount, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.

MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX in suitablyequipped bait stations, chick founts, or other appropriate vessels. Place dispensers at intervals of 8 - 12 feet in all infested areas where bait can be used without putting intervals of a risk. **RATS & MICE:** Replace contaminated or spoiled bait immediately. Collect and properly dispose of dead animals and bait that is no longer needed. Continue treatments as long as target species are being controlled by bait and nontarget species are not at risk.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals. **PESTICIDE DISPOSAL**: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Call your local waste agency for any questions on proper disposal.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

091703

575

