PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Exposure during pregnancy should be avoided. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. When mixing balls, wear dust respirator and rubber gloves. If on skin, wash with soap and water. NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin limes.

ENVIRONMENTAL HAZARD:

Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

MIXING DIRECTIONS

Theroughly mix one part of Concentrate with 19 parts of a suitable bail material i.e. I grain, fish, meat, and vegetable).

"consterials resembling human lood must a shered in form by crushing, balling or celleting so that they are not readily recognizable as food,

USE RESTRICTIONS: For control of Norway hats, Roof rats and House mice in and around homes, Industrial and agricultural buildings, and similar man-made structures. Treated baits must be placed in locations not accessible to children, pets, domestic animals or wildlife or in tamper-proof bait boxes.

Place meat and fish balts only in tamperproof bait boxes or deeply into rat burrows because dogs and cats will actively search them out.

Do not place bait in areas where there is a possibility of contaminating food or surlaces that come in direct contact with food. SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

WARFARIN-Q CONCENTRATE

For formulation only into registered end-use rodenticides used in and around buildings and similar man-made structures, and in transport vehicles, and sites such as dumps, sewers, river and pond banks, feedlots, rabbitry fur farms, and game bird operations for the control of Norway rats, roof rats, and house mice.

ACTIVE INGREDIENT:

¥

1

CAUTION KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements.

Net Contents 50 lbs. (22.7 Kg.)

EPA Esl. No. 12455-WI-1 EPA Reg. No. 12455-28

Manufactured by BELL LABORATORIES, INC. Madison, WI 53704, U.S.A.

APPLICATION DIRECTIONS

RATS' Apply 4 to 16 ounces of bait per placement. Maintain an uninterrupted supply of fresh-bait fc; at least 1f days MICE: Apply 1/4 to 1/2 ounce (1-2 !evel table." spoons) of their at 8 to 12 toor intervans. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS & MICE: Replace contaminated or poiled bait immediately.

If perishable baits (meat, fish, or vegetable) are used, place fresh baits in late alternoon. Replace daily with fresh baits.

Collect and dispose of all dead animals and unconsumed bail properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bail stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, F-1 in a dry area inaccessible to children and E-1 pets.

PESTICIDE DISPOSAL: Pesticide wastes are aculely hazardous. Improper disposal or discharge of excess pesticide spray mixture, or rinsate is a violation of Federal law. If these wastes cannol be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Ollice for ouldance.

Do not discharge in lakes, streams, ponds or public waters unless in accordance with an NPDES Permit. For guidance, contact your regional office of the EPA.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to toosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and locat lauthoritles. If drum is contaminated and cannot be reused, dispose of in the same imanner.

p a R