

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**USE RESTRICTIONS:** For control of Norway Rats, Roof Rats and House Mice in and around homes, industrial and agricultural buildings and similar man-made structures.  
Treated baits must be placed in areas not accessible to children; pets, domestic animals or wildlife or in tamper proof bait boxes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.  
**SELECTION OF TREATMENT AREAS:** Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

# P.C.Q.

## RAT AND MOUSE BAIT

READY TO USE PLACE PAC

**ACTIVE INGREDIENT**  
Diphacinone 2-(Diphenylacetyl)-1,3-indandione 0.05%  
**INERT INGREDIENTS:** TOTAL 99.95%  
100.00%

### CAUTION

KEEP OUT OF REACH OF CHILDREN  
(See additional cautions on back panel)


#### APPLICATION DIRECTIONS

**RATS:** Place 2 to 10 PCQ Place Pacs per placement. The amount of bait placed at a given location should be adjusted to the size of the rat infestation. Maintain an uninterrupted supply of bait for at least 10 days.

**MICE:** Place 1 PCQ Place Pac at 8 to 12 foot intervals. Bait placements should be checked frequently. At points of very high mouse activity, bait with 2 PCQ Place Pacs. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS & MICE:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent baiting stations where bait is needed.

**NET WEIGHT 1 1/2 OZ. (43 GM)**

 Manufactured by BELL LABORATORIES, INC.  
Madison, Wis. 53705  
EPA EST. NO. 12455-WI-1 EPA REG. NO. 12455-29

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS:**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K<sub>1</sub> combined with Vitamin K<sub>2</sub> injections are indicated as in the case of hemorrhage caused by overdoses of fishhook coumatrum.

**ENVIRONMENTAL HAZARD:**

Keep out of lakes, streams or ponds.

**DISPOSAL**

DO NOT REUSE CONTAINER

WRAP CONTAINER AND PUT IN TRASH COLLECTION

ACCEPTED  
MAY 6 1981  
12455-29