

12455-29

**ACCEPTED**  
**APR 15 1992**  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-29

# P.C.Q.

## Rat and Mouse Bait

### READY TO USE PLACE PAC KILLS RATS AND MICE

ACTIVE INGREDIENT: Diphacinone;	
2-(Diphenylacetyl)-1,3-indandione	0.005%
INERT INGREDIENTS	99.995%
	TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

#### PRECAUTIONARY STATEMENTS

##### HAZARD TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Keep away from humans, domestic animals and pets. If used, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K intravenously or orally, as indicated in bromhydracoumarin overdoses. Repeat as necessary based on monitoring of prothrombin level.

**ENVIRONMENTAL HAZARD:** Keep out of lakes, streams or ponds.

Net Contents 1 1/2 OZ. (43 GM)

Mfg. by:  **Bell Laboratories, Inc.**  
Madison, WI 53704 U.S.A.

EPA EST NO 12455-WI-1  
EPA REG NO 12455-29

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice will readily feed and consume the bait. Generally, these are stored food by human beings, in or around buildings, in cellars and cupboards, in basements and attics, in feed lots where rodents or their signs have been seen. Place bait in these areas. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

**RATS:** Apply 2 to 10 Place Pac per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**HOUSE MICE:** Place 1 Place Pac at 2- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS AND MICE:** Reproductives should be excluded from bait immediately. Collect and dispose of all dead animals and throw bait properly. To prevent vermin from returning to bait, use bait, water, and baiter eye as much as possible. If reproduction does occur, repeat treatment. Where a continuous rodent infestation is present, establish permanent bait stations and replace as needed.

**STORAGE AND DISPOSAL:** Store only in original container, in a dry area inaccessible to children and pets.

**DISPOSAL:** Do not reuse empty container. Seal empty container in several layers of newspaper and discard in trash.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other animals to areas where bait is used. To help prevent accidents:

1. Seal product in its original container out of reach of children and pets.
2. Apply bait in basements, attics, and other areas where rodents are known to feed, or in larger residential bait stations. These stations must be baited and checked by traps or by children under 12 years of age, and must be used in a manner that prevents such children from reaching the bait containers and eating the bait. It will be the user's responsibility to ensure that traps must be secured or otherwise immobilized. Even if traps are checked, they should be checked frequently, especially in areas where bait is used.
3. Dispose of product containers, and unused bait, in a manner that is specified on this label.

**USE RESTRICTIONS:**  
For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not broadcast bait.

# BEST AVAILABLE COPY

**ACCEPTED**  
**APR 15 1992**  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 12455-29

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

**ENVIRONMENTAL HAZARD:** Keep out of lakes, streams or ponds.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

P.C.Q.

**Rat and Mouse Bait**

READY TO USE PLACE PAC

**KILLS RATS AND MICE**

ACTIVE INGREDIENT: Diphacinone;	0.005%
2-(Diphenylacetyl)-1,3-indandione	99.995%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

Net Contents: 120 x 1 1/2 OZ. (43 GM)

Mfg. by:  **Bell Laboratories, Inc.**  
 Madison, WI 53704 U.S.A.

EPA REG. NO. 12455-29

EPA EST. NO. 12455-WI-1

**USE RESTRICTIONS:**

For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:**

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS**

**RATS:** Apply 2 to 3 Place Pacs per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**HOUSE MICE:** Place 1 Place Pac at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS AND MICE:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

**STORAGE AND DISPOSAL**

**STORAGE:** Store only in original container, in a dry area inaccessible to children and pets.

**DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

**BEST AVAILABLE COPY**