

ACCEPTED
NOV 9 1992
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 12455-29

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD: Keep out of lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooded livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Ditrac®

Rat and Mouse Bait

READY TO USE PLACE PAC

KILLS RATS AND MICE

| | |
|-----------------------------------|-----------------|
| ACTIVE INGREDIENT: Diphacinone; | |
| 2-(Diphenylacetyl)-1,3-indandione | 0.005% |
| INERT INGREDIENTS | 99.995% |
| TOTAL | 100.000% |

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

Net Contents: 120 x 1 1/2 OZ. (43 GM)

Mfg. by:  **Bell Laboratories, Inc.**
 Madison, WI 53704 U.S.A.

EPA REG. NO. 12455-28

EPA EST. NO. 12455-WI-1

USE RESTRICTIONS:

For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS:

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Apply 2 to 10 Place Pacs per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

HOUSE MICE: Place 1 Place Pac at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, re-treat. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

BEST AVAILABLE COPY

ACCEPTED
NOV 9 1992
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-29

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely feed and consume the bait. Generally, these are along walls, by ground openings, in or beside burrows, in corners and concealed places, between floor and walls, or in locations where rodents or their signs have been seen. Place bait from run or flow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Apply 2 to 10 Place Pacs per treatment. Maintain an uninterrupted supply of fresh bait for at least 10 days.
HOUSE MICE: Place 1 Place Pac at 5-7 1/2-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.
RATS AND MICE: Replace contaminated or soiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and reinspect as needed.

STORAGE AND DISPOSAL

STORAGE: Store only in original container in a dry area inaccessible to children and pets.
DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

Ditrac®

Rat and Mouse Bait
 READY TO USE PLACE PAC
Kills Norway Rats, Roof Rats, and House Mice

| | |
|-----------------------------------|-----------------|
| ACTIVE INGREDIENT: Diphacinone; | |
| 2-(Diphenylacetyl)-1,3-indandione | 0.005% |
| INERT INGREDIENTS | 99.995% |
| TOTAL | 100.000% |

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.
NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.
ENVIRONMENTAL HAZARD: Keep out of lakes, streams or ponds.

Net Contents 1 1/2 OZ. (43 GM)

Mfg by  **Bell Laboratories, Inc.**
 Madison, WI 53704 U.S.A.

EPA EST NO. 12455 WL1
 EPA REG NO. 12455 29

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. Bait can be eaten from stations when they are dented, units must be secured to prevent tampering. Even though bait stations are marked as areas open to "housed livestock," raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unreturned bait as specified on the label.

USE RESTRICTIONS:

For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and other man-made structures. Do not store bait in areas where there is a possibility of contamination of food or feedstuffs. Do not use bait in areas where it is prohibited by local, state or federal law.

ACCEPTED
NOV 9 1992
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-29