12455-35 306 103/10 1973 30 NOV 1983

Blil ... Marion vali

Bell Laboratories, Inc. 3699 Kinsman Boulevard Madison, WI 53704

Gentlemeni

Subject: Contrac Paraffinized Cake

EPA Registration No. 12455-34

Fallated Contrac Rat and Mouse Bait

EPA Registration No. 12455-35

Contrac Est and Mouse Bait

EPA Registration No. 12455-36

Your Letters of September 8, 1983

The amendment referred to shove, submitted in connection with registration under FIFRA is acceptable, provided that you:

- Make the labeling changes listed below before you release the product for shipment hearing the amended labeling:
 - a. Format your "Use Restrictions" as follows:

USE RUSTRICTIONS:

For control of Horway rate, Roof rate and House mice in the following two areas:

Urban areas: May be used in and around the periphery of homes, industrial, commercial, and public buildings. May also be used in alleys. Do not use in severs.

Non-urban areas: May be used inside of homes only.

For both areas treated baits must be placed in tamper-proof boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with rood.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

209 3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIERA acc. 6(e). Your release for abspront of the product bearing the amended labeling constitutes acceptance of those conditions.

A stamped copy of the labeling is anclosed for your records.

Sincorely yours,

William E. Hillor Product Hamager (16) Disinfectants Branch Registration Division (TS-767C)

Enclosura

E SOPY

DCR-12017:Miller:RD-2:11/28/83:De .12/12/83:pjb

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the ciotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K.

Intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes. streams or ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE:

DISPOSAL:

Store only in original container, in a dry place inaccessible to children and pets. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfull or by incineration. If allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

WARRANTY. Seller makes no warranty, expressed or implied, con-cerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



KILLS RATS AND MICE KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

'Bromadiatone - Lipha Patent

INERT INGREDIENTS

TOTAL

99 995% 100 000%

KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT 10 LBS. (4.5 Kg)



EPA REG NO 12455-31 EPA EST NO 12455-WE1

DIRECTIONS FOR U GENERAL USE CLASSIF

It is a violation of Federal law to use this consistent with its labeling

USE RESTRICTIONS: For control of Norway mice in and around the periphery of home and public buildings located in urban area used in alleys located in urban areas. Do r parks. CONTRAC may also be used inside trains, aircraft) and in and around related Treated baits must be placed in locations. pets, domestic animals, wildlife or in ta Don't place bait in areas where there's a p tood or surfaces that come in direct conta SELECTION OF TREATMENT AREAS. Do and/or mice will most likely lind and cor these areas are along walls, by gnawed o rows, in corners and concealed places, be in locations where rodents or their sig Remove as much food as possible

APPLICATION DIRECT

RATS Apply 3 to 15 ounces of bait (usua feet) per placeme Maintain an uninteri signs of rat activity of to 1/2 ounce of bail for 10 days or un HOUSE MICE App. per placement. Larger placement (up to 2 points of very high mouse activity. Mainta fresh bait for 15 days or until signs of m Replace contaminated or spoiled bait dispose of unconsumed bait and dead exp Container Disposal paragraph. To preve food, water, and harborage as much as po occur repeat treatment. Where a continuo present, establish permanent balt statio needed

BEST AVAILABLE COPY

ACCEPT with CONN In I PA for

13 1

Digital $F_{\Sigma}r_{\alpha} =$ ga parte o regulared and 124=