Reg # 12455-36

P1: - 14

5407341 346

Ms. Victoria Dunnum Bell Laboratories, Inc. 3699 Kinsman Boulevard Madison, WI 53704

MAR 3 0 1992

Dear Ms. Dunnum:

Subject: Contrac Rat and Mouse Bait

EPA Registration No. 12455-36

Your Letter Dated November 12, 1991

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable subject to the following comments and provisions:

- 1. The efficacy studies submitted on November 12, 1992, are acceptable and, under our current requirements, support the single-feeding claim which appears on the current accepted label for this product and on the proposed revised label submitted on November 12, 1992. The rat study has been assigned the MRID No. 420895-02 and the mouse study MRID No. 420895-01.
- 2. The "DIRECTIONS FOR USE" portion of the proposed revised label submitted on November 12, 1992, is acceptable. We note that you made some editorial changes to the "USE RESTRICTIONS" which included adding new acceptable sites. The next time you seek to revise this label, we will require you to use the new bait protection language (see recent correspondence on your other Bromadiolone baits and the Reregistration Eligibility Document for Warfarin).
- 3. Although your Precautionary Labeling is acceptable, we would prefer to see the PRECAUTIONARY STATEMENTS section located at the top of the side label immediately preceding the DIRECTIONS FOR USE. Wherever located, we prefer that these statements be surrounded by a block outline, especially if located between other sections of text as on your label.
- 4. Submit one copy of your final printed labeling before you release the product for shipment.

CONCURRENCES							
SYMBOL							
SURNAME			·····				
DATE					·····		

EPA Form 1320-1 (12-70)
US GOVERNMENT PRINTING INFOCE THAT OF ACTORS

💯 Printed on Recycled Paper

OFFICIAL FILE COPY

5. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

This registration will be subject to cancellation in accordance with FIFRA sec. 6(e) if you do not comply with these conditions. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest Product Manager (14) Insecticide-Rodenticide Branch Registration Division (H7505C)

3/30/92:ERICKSON:DI: 1:12455-36.LBL

DIRECTIONS FOR USE

It is a violation of Federal law to use this political in a manuer inconsistent with its labeling.

USE RESTRICTIONS:

For control of Norway rats, Root rats and House - La.

URBAN AREAS:

May be used in and around the periphery of hor, es, industrial, commercial and public buildings. Contrac Rat and Mouse Bait may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

NON-URBAN AREAS:

May be used inside of homes and agricultural buildings.

Treated baits must be placed in areas not accessible to children, pets, domestic animals, wildlife or placed in temper resistant bas boxes. Do not place be it in areas where there is a possibility of contaminating lood or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bail. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in comers and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Pernove as much food as possible.

APPLICATION DIRECTIONS

RATS: Apply 3 to 16 ounces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

HOUSE MICE: Apply 1/4 to 1/2 ounce of bait at intervals of 8 to 12 feet per placement. Larger placements (up to 2 ounces) may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

R. TS & MICE: Replace contaminated or spoiled bait immedintely. Collect and dispose of unconsumed bait and dead

Contra

Rat and Mouse Bait KILLS WARFARIN RESISTANT **NORWAY RATS**

Nor vay rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT: Bromadiolono; 3-[3-(4' -Bromo-[1,1'-biphenyi]-4-yl)-3-hydroxy-1phenylpropyl]-4-hydroxy-2H-1-benzopyran-...... 0.005% INERT INGREDIENTS 99.995% TOTAL 100,000%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right panel for additional precautions.)

May be harmful or lata! If swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at

Net Contents 25 lbs. (11.4 kg)



EPA FST, NO. 12455-WI-1 EPA REG. NO. 12455-36

exposed animals according to Container Disposal graph. To prevent reinfestation, eliminate food, water harborage as much as possible. If reinfestation does repeat treatment. Where a continuous source of inless is present, establish permanent bait stations and repi bait as needed,

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMA CAUTION

Keep away from humans, domestic animals and p swallowed, this material may reduce the clotting ability blood and cause bleeding. Avoid contact with ey clothing. Wash thoroughly with soap and water after dling. It swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitan intramuscularly or orally as indicated in bishydroxycou overdoses. Repeat as necessary based on monitor prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of streams or ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage of

STORAGE: Store only in original container, in a dry inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the t this product may be disposed of on site or at an app waste disposal lacility.

CONTAINER DISPOSAL: Completely empty pail. dispose of empty pail in a sanitary landfill or by inciner or, if allowed by state and local authorities, by burn burned, stay out of smoke,

in E

Under th Funcicide as ameni registered

124