

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

PM 14 12455-56 p. 1/2

NOV 18 1992

5429430 301
17

Ms. Victoria Dunnum
Bell Laboratories, Inc.
3699 Kinsman Boulevard
Madison, WI 53704

Dear Ms. Dunnum:

Subject: DITRAC TRACKING POWDER
EPA Registration No. 12455-56
Your Letter Dated November 11, 1992

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, subject to the following provisions:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of your final printed labeling before you release the product for shipment with the amended labeling.

This registration will be subject to cancellation in accordance with FIFRA sec. 6(e) if you do not comply with these conditions. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

RAF

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

11/18/92:WAE:DISK4:12455-56.LB2

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

RESTRICTED-USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

Ditrac[®] TRACKING POWDER

KILLS RATS and MICE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Use against the Norway Rat, Roof rat, and House mouse inside of homes, industrial, and agricultural buildings and similar man-made structures. DITRAC TRACKING POWDER may also be dusted into rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures. Tracking powder must be placed in locations not accessible to children, pets, domestic animals, or wildlife. Do not place powder in areas where there is a possibility of contaminating food or on surfaces that come in direct contact with food. Do not place near ventilation duct openings.

SELECTION OF TREATMENT AREAS: Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in spaces between floors and walls or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species use suitable cardboard tubes or wooden tunnels securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to prevent spillage of powder through the ends.

APPLICATION DIRECTIONS: Evenly sprinkle 1/2 ounce (3 level teaspoons) of DITRAC TRACKING POWDER in patches 12 inches long and 6 inches wide. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use power dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodent to it. Patch size may be (but not limited to) 6" x 12" and should be adapted to each situation. For rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of tracking powder in each burrow with footpump mister (about 15 pumps). Close burrows with soil, loose leaves, or paper. Repair if burrows are reopened.

ACTIVE INGREDIENT: Diphacinone; (2-Diphenylacetyl-1,3-Indandione)	0.2%
INERT INGREDIENTS	99.8%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right for additional precautionary statements)

NET CONTENTS: 25 LBS.

Mfg. by:



Bell Laboratories, Inc.
MAYWOOD, N.J. U.S.A.

EPA EST. NO. 12455-WI-1 EPA REG. NO. 12455-56

Maintain powder in treated areas for at least 20 days. Where and dispose of all dead animals and used powder promptly. when infestation recurs. Where a continuous source of infestation exists, establish permanent tracking powder stations and replenish as needed.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin, or respirator if product may be inhaled. This product can be absorbed through the skin, so it should be handled with gloves. Do not allow contact with eyes. Causes eye irritation. Avoid contact with eyes thoroughly with soap and water after handling. Keep away from domestic animals or pets. This material may reduce the clotting ability of blood and cause bleeding. Exposure during pregnancy should be avoided. Do not contaminate feed or foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or a Poison Control Center.
IF IN EYES: Flush with plenty of water for 15 minutes. Continue if irritation persists.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K₁ orally as indicated in bishydroxycoumarin overdoses. Response based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Keep out of lakes, streams, and rivers.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Waste resulting from the use of this product should be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty pail into applicator. Then dispose of empty pail in a sanitary landfill, or by incineration, or by other means as directed by local authorities, by burning. If burned, stay out of the fire.