

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 20, 2019

Jennifer Klika Regulatory Affairs Manager Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Subject: Label Amendment – Addition of optional marketing claims and revision of

Directions for Use to remove reference to obsolete application equipment

Product Name: Ditrac Tracking Powder EPA Registration Number: 12455-56

Application Date: 08/23/2019 Decision Number: 554919

Dear Ms. Klika:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2 EPA Reg. No. 12455-56 Decision No. 554919

with FIFRA section 6. If you have any questions, please contact Paul Di Salvo by phone at 703-347-0322, or via email at disalvo.paul@epa.gov.

Sincerely,

Gene Benbow, Product Manager 7

See to

Invertebrate & Vertebrate Branch 3 Registration Division (7505P)

Office of Pesticide Programs

Ditrac® Tracking Powder Page 1 of 6 September 20, 2019 Master Label

#### RESTRICTED USE PESTICIDE

Due to Dermal Toxicity

For retail sale to and use by, Certified Applicators, or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

# Ditrac® Tracking Powder KILLS RATS AND MICE

ACTIVE INGREDIENT

Diphacinone (CAS # 82-66-6) 0.2%

OTHER INGREDIENTS 99.8%

TOTAL 100.0%

EPA EST. NO. 12455-WI-1<sup>k</sup>
EPA EST. NO. 12455-WI-2<sup>p</sup>
EPA EST. NO. 12455-WI-3<sup>w</sup>
[superscript is first letter of lot number]

## KEEP OUT OF REACH OF CHILDREN WARNING

**NET CONTENTS:** 1 to 50 lbs (0.453 – 22.68 kg)

**NET WEIGHT:** 1 to 50 lbs (0.453 - 22.68 kg)

#### Manufactured By:



**Bell Laboratories, Inc.** 3699 Kinsman Blvd. Madison, WI 53704

ACCEPTED

09/20/2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 12455-56

**Batch Code:** 

See back [bottom] [and] [side] panel[s] for First Aid, additional Precautionary Statements, and Directions for Use.

**Bold, italicized text is information for the reader and is not part of the label.** [Bracketed information is optional text.]

Text separated by / denotes and/or options.

FIRST AID	
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed:	Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.  Here the control center of the cen
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If on Skin or Clothing:	Take off contaminated clothing.
	• Rinse skin immediately with plenty of water for 15 – 20 minutes.
	<ul> <li>Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.</li> </ul>
If Inhaled:	Move person to fresh air.
	• If person is not breathing, call an ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible.
	• Call a poison control center, doctor, or <b>1-877-854-2494</b> immediately for treatment advice.
	NOTE TO DINGLOLAN

#### NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin  $K_1$  intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

#### TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian or 1-877-854-2494 at once.

#### NOTE TO VETERINARIAN

**Anticoagulant Diphacinone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.

#### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

**WARNING**: May be fatal if absorbed through the skin. Harmful if swallowed. Avoid breathing dust. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Avoid exposure to this product during pregnancy. All handlers (including applicators) must wear coveralls over short sleeve shirt and short pants, chemical resistant footwear, socks, waterproof gloves and a NIOSH approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

Ditrac® Tracking Powder Page 3 of 6 September 20, 2019 Master Label

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Only use indoors and in burrows leading indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

#### **USE RESTRICTIONS:**

#### This product is for use indoors and in burrows leading indoors only.

This product is for control of Norway rats, roof rats and house mice only inside of homes, industrial, commercial, agricultural, and public buildings, and similar man-made structures and in burrows located along the periphery of buildings and likely entry routes into buildings. Ditrac<sup>®</sup> Tracking Powder [This Product] must be placed in locations inaccessible to children, pets, domestic animals, or wildlife. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food.

#### **SELECTION OF TREATMENT AREAS:**

Determine dry areas where rats and mice will most likely pick up the powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed openings and burrows, in corners and concealed places, in space between floors and walls or in locations where rodents or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force rodents to travel through constricted areas. Give special attention to the climbing ability of roof rats. For this species, use suitable PVC, sheet metal, cardboard, or similar rigid tubing securely attached to rafters or other horizontal surfaces where rats will pass. Employ tubes long enough to prevent spillage of powder through the ends.

#### **APPLICATION DIRECTIONS:**

Evenly sprinkle ½ oz. [3 level teaspoons] of Ditrac<sup>®</sup> Tracking Powder [This Product] in patches 12 inches long and 6 inches wide. Apply the powder into the rodent burrow or holes or within walls with a hand bulb or similar duster. Do not use powder dusting devices. Sprinkle the powder in patches in such a manner as to expose the rodent to it. Patch size may be (but not limited to) 6" x 12" and should be adapted to each situation. For rat burrows that are located along the periphery of buildings and that are likely to serve as routes of entry into these structures, place about 5 grams of Ditrac<sup>®</sup> Tracking Powder [This Product] in each burrow. Close burrows with soil, loose leaves, or paper. Repeat if burrows are reopened. Maintain powder in treated areas for at least 20 days.

Ditrac® Tracking Powder Page 4 of 6 September 20, 2019 Master Label

#### **FOLLOW-UP:**

For replacing or removing powder, wear coveralls over short sleeve shirt and short pants, chemical resistant footwear, socks, waterproof gloves and a NIOSH approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A. Replace contaminated powder immediately. Collect and properly dispose of any leftover powder, as well as any powder that has become accessible to non-target animals. For collecting dead rodents, wear waterproof gloves and properly dispose of all dead, exposed animals. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container.

[Plastic:] Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration.

[Paper:] Dispose of empty container by placing in trash, at an approved disposal facility or by incineration.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Ditrac® Tracking Powder Page 5 of 6 September 20, 2019 Master Label

#### **OPTIONAL MARKETING STATEMENTS:**

Diphacinone

Contains [With] Diphacinone

For Use Indoors and In Burrow Leading into Buildings

Kills Listed Rodent Species

Kills Mice [Rats]

Kills Rats and Mice

Made in USA


Mouse [Rat] Killer

Rat and Mouse Killer

#### **OPTIONAL GRAPHICS:**







[Image of Diphacinone Structure]







Photo may not be representative of a label-consistent placement.