FRONT PANEL

والأحزار المراش المراسين

QUINTOX

RAT AND MOUSE BAIT READY-TO-USE PLACE PAC United to the fee fee, Fungacide is tention to as amended, for the partie registered under EPA Re; No. 124537-578

TOTAL

100.000%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements

NOTE TO USER: This product has been shown to be effective through a number of laboratory and field studies. Further field studies will be conducted which may alter claims and directions for use.

NET WEIGHT
30 grams (1.07 cunce)
Manufactured by
Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

EPA EST. NO. 12455-WI-1

EPA REG. NO. 12455-

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WN-567)	12455-	<u>-¹</u> >₹	1/24/85
WASHINGTON D.C. 20460	NAME OF PESTICI	Or PRODUCT	<u> </u>
NOTICE OF PESTICIDE: REGISTRATION) :	
(Under the Federal Insecticide Fungici te and Rodenticide Act. as amended		٠.	
NAME AND ADDRESS OF REGISTRANT Include ZIP . uder			
n is lateratories	-	16	14,23
Profisor, Wt 53700		140	147,405
L	٦	14/	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division proproduct always refer to the above U.S. EPA registration numbers.	r to use of the label		
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named posticio	de is hereby (Registered/Reregistered und
A copy of the labeling accepted in connection with this Re	gistration/Reregistra	tion is return	ed herewith.
This product is conditionally provisions of Section 3(c)(7)(C) of A. You will submit the data	registered in	e name or to i	ts use if it has been covered nce with the ave agreed that:
schedule:			
Type of Submission	<u>[</u>	Deadline :	For Submission
1. Acceptable Field Test	s		
a. First Interim Rep b. Second Interim Be c. Final Report	port s	May 1, 10 September Januar, 1	1, 1946
2. All mistanding Labor Tests	retor;		
a. Acut∺ ⊖rai IDen. rats	Roc! /	August 1,	2.653
BEST AVAIL	ABLE COPY		
ATTACHMENT IS APPLICABLE			
HONATURE OF APPROVING OFFICIAL			DATE

EPA Form 8578-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

- Fi. You will submit and/or cite all data required for registration/ reregistration of your product under PIPRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- C. You will submit production information (pounds produced) for this product for the fiscal year in which this product is conditionally registered, in accordance with Section 29 of FIFRA. The fiscal year begins October 1 and ends September 30. The production information will be submitted to the Agency no later than November 15, following the end of the preceding fiscal year. This information should be submitted to:

Registration Support and Emergency Response Branch Registration Division (TS-767) Environmental Protection Agency Washington, DC 20460

Make the following label changes before you release the product for shipment:

- 1. For the 2 ounce container label only, add the following sentence to the end of the rat directions: "This box contains sufficient bait for 1 or 2 rats." Note that the smallest size that you can market is 2 ounces, which would contain two, one ounce place packs.
- 2. For net weight, reverse the order of the English and metric units.
- 3. Add the phrase, "EPA Registration No. 12455-58."

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

William H. Miller

Product Manager (16)

Insecticide-Rodenticide Branch

Registration Division (TS-767)

Enclosure

RD/IRB:JOB-86681:Dan Peacock:Kendrick:898-1270:Kim:3/20/85

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife or placed in tamper—proof bait stations. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

For control of Norway Rats, Roof Rats, and House mice in and around homes, industrial, commercial, agricultural, poultry buildings, and similar mammade structures. QUINTOX may also be used inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

SELECTION OF TREATMENT AREAS:

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

RATS: Apply 2 to 8 Quintox Place Pacs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of rat activity cease.

HOUSE MICE: Place 1 QUINTOX place pac at intervals of 8 to 12 feet per placement. Maintain an uninterrupted supply of fresh bait for 15 days or until all signs of mouse activity cease.

RATS & MICE: Replace contaminated or spoiled bait immediately. 'Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

LEFT PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets.
STATEMENT OF PRACTICAL TREATMENT: If swallowed drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Avoid use of all oils.
NOTICE TO PHYSICIAN: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels.
Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, AMA Drug Evaluations, Third Edition (1977),

ENVIRONMENTAL HAZAROS

Chapter 16, pp. 248-251).

Keep out of lakes, streams, or ponds.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.