

12455-61

07/05/2007

117

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

July 5, 2007

300 5-811795
1165

Bell Laboratories, Inc.
3699 Kinsman Boulevard
Madison, WI 53704

Attention: Dr. John Lublinkhof

Subject Liqua-Tox II
EPA Reg. No. 12455-61
Your amended application of March 15, 2007

Purpose The submission revises the label for this product, under sec 3 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), to add marketing claims; and to make other labeling changes.

Labeling The labeling submitted with the above letter, under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) is acceptable, provided you submit one (1) copy of final printed labeling to us, with the following changes, before you ship your product.

1. Begin the 1st Sentence of the "USE RESTRICTIONS" with "Only": "Only for control ... structures."
2. Under "OPTIONAL MARKETING STATEMENTS:" delete "Economical Control" as it is a false or misleading statement under 40 CFR 156.10(a)(5)(iv).
3. Under "OPTIONAL MARKETING STATEMENTS:" delete "multiple feed" as it is unclear as to what it refers. Is it trying to say that multiple animals can feed at the dispenser or that animals must feed multiple times to be killed?
4. Under "OPTIONAL GRAPHICS WITH TEXT:", add the following text after the 3rd Sentence: "... in areas that are out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations.

Existing stocks Stocks of existing labels may be used for eighteen (18) months.

Consequence for non-compliance If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Questions If you have questions about this letter, please contact me at 703-305-5407 (phone); 703-305-6596 (fax); or peacock.dan@epa.gov (E-Mail).

Sincerely,



Daniel B. Peacock, Biologist
Insecticide-Rodenticide Branch
Registration Division (7504C)

Attachment Enclosure 1. Stamped label.
Enclosure 2. False or Misleading Statements [40 CFR 156.10(a)(5)]

File Location Dan Peacock, Flash Drive, 1gb, K:\Diphacinone, Sodium Salt\12455-61, revised label, 5-30-2007.doc

3/7

OUTER CONTAINER – COMPLETE LABEL – ALL PACKAGE WEIGHTS

Liqua-Tox II

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water.

ACTIVE INGREDIENT:

Sodium Salt of Diphacinone

(CAS #42721-99-3) 0.106%

INERT INGREDIENTS:..... 99.894%
100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for additional precautionary statements

**ACCEPTED
with COMMENTS
EPA Letter Dated**

Net Contents:

2.6 qt. (2.5 liters) [50 x 1.68 fl. oz. (50 ml) pouches
6.7 fl. oz. (198 ml) [(4 x 1.68 fl.oz. (50 ml) pouches]

JUL 5 2007

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

Manufactured by:



Bell Laboratories, Inc.
Madison, WI 53704

12455-61

EPA REG. NO.12455-61

EPA EST. NO. 12455-WI-1

4/7

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

MIXING DIRECTIONS: Wearing waterproof gloves, thoroughly mix contents of one 1.68 fl. oz. package in 1 quart (32 fluid ounces) of water.

APPLICATION DIRECTIONS:

RATS: Provide a minimum of 1 pint (16 fluid ounces) of LIQUA-TOX II in each dispenser (suitably-equipped bait station, chick fount, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed in all infested areas where it can be used without putting nontarget organisms at risk.

MICE: Provide 1/2-pint (8 fluid ounces) placements of LIQUA-TOX II in suitably-equipped bait stations, chick founts, or other appropriate vessels. Place dispensers at intervals of 8 - 12 feet in all infested areas where bait can be used without putting nontarget organisms at risk.

FOLLOW-UP: Replace contaminated or spoiled product immediately. Using gloves, collect and properly dispose of dead animals and bait that is no longer needed. Continue treatments as long as target species are being controlled and nontarget species are not at risk.

5/7

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets. If handled, wear water-proof gloves. Wash thoroughly with soap and water after handling. Exposures during pregnancy should be avoided. Avoid contact with skin, eyes, or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

PESTICIDE CONTAINER: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

Alternate Environmental Hazards Language for packaging intended solely for consumer use (<1 lb.)

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply directly to water.

Alternate Storage and Disposal Language for packaging intended solely for consumer use (<1 lb.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

DISPOSAL: **If empty:** do not reuse this container. Place in trash or offer for recycling if available. **If partially filled:** Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

INNER CONTAINER – ABBREVIATED LABEL – ALL PACKAGE WEIGHTS

6/7

Liqua-Tox II

A Concentrate for Preparing Liquid Baits to Kill Norway Rats, Roof Rats, and House Mice

Mix contents of pouch with 1 quart of water.

ACTIVE INGREDIENT:

Sodium Salt of Diphacinone

(CAS #42721-99-3) 0.106%

INERT INGREDIENTS:..... 99.894%
100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

SEE LABEL ON OUTER PACKAGING FOR ADDITIONAL PRECAUTIONARY INFORMATION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS. It is illegal to sell this product unless it is accompanied by a complete set of accepted labeling.

Net Contents: 1.68 fl. oz. (50 ml) pouch

Manufactured by:



Bell Laboratories, Inc.
Madison, WI 53704

EPA REG. NO.12455-61

EPA EST. NO. 12455-WI-1

OPTIONAL MARKETING STATEMENTS:

Economical Control
Multiple Feed
With Diphacinone
For Use In and Around Homes and Buildings



OPTIONAL GRAPHICS WITH TEXT:

While wearing water proof gloves, using scissors, cut one 1.68 fl. oz. package open where indicated and pour the entire contents into a quart of water. Mix thoroughly.

Tomcat Liquid Concentrate should be dispensed in suitably equipped bait stations, chicken founts, or other similar devices.

Place bait in areas where rats and mice will most likely find and consume the bait.

Refer to the back of the pouch/box for complete instructions



Dispenser not included.