20g # 12455 - 68 PM-14 173

BAIT STATION LABEL

Contrac® Mouse Bait Station Kills Mice

KEEP OUT OF REACH OF CHILDREN CAUTION

NOTE TO PHYSICIAN: If ingested, administered Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

SEE LABEL ON OUTER PACKAGE FOR ADDITIONAL PRECAUTIONARY INFORMATION.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS and BAITING DIRECTIONS. It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

EPA Reg. No. 12455-AI

EPA Est. No. 12455-WI-1

Maunfactured by Bell Laboratories, Inc.

ACCEPTED DEC 1 0 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. N. 12455-68

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

DO NOT USE THIS PROLLUCT IN AREAS ACCESSIBLE TO CHILDREN PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE. For control of house mice in and around homes, industrial, commercial, agricultural, and public buildings. Do not place in areas where there is possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS:

Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, or in comers and concealed places.

APPLICATION DIRECTIONS:

HOUSE MICE: Place bait station at intervals of 8 to 10 feet along walls or in corners where mice live or travel. When bait is consumed, replace with one CONTRAC BLOX. (EPA Reg. No. 12455-34) Do not fill this station with any bait other than CONTRAC BLOX.

TO REFILL: (See illustrations below) 1. Fully insert 2-pronged key in holes on top of CONTRAC Mouse Bait Station. 2. Bend key away from station. 3. Gently lift up: 4. Place one CONTRAC BLOX in the triangular area next to the hinge. 5. Close lid until it snaps securely. Pepeat steps for easy rebaiting.

To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original container in a coot, dry place inaccessible to children and pets.

DISPOSAL: Securely wrap original container and/or unused, spoiled, or fragmented bait in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals.

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIANS: If ingested, administer Vitamin Kiintramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Keep out of takes, streams and ponds.











NET CONTENTS: 1 oz. (28 gms)

EPA EST. NO. 12455-WA-1

EPA REG. NO. 12455-AI

Manufactured by:



3 3 3

Reusable

)

Prebaited

Contrac Mouse Bait Station KILLS MICE

Kills Warfarin-Resistant Rodents

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See back panel for additional precautionary statements)

ACCEPTED

DEC 1 0 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No. 12455-68