

# Contrac<sup>®</sup> Mouse Bait Station Kills Mice

ACTIVE INGREDIENT:
Bromadiolone;
3-[3-[4"-Bromo-[1, 1-biphenyl]-4-yl]-3-hydroxy-1phenylpropyl]-4-hydroxy-2H-1benzopyran-2-one... 0 005%
INERT INGREDIENTS ... 99 995%
TOTAL 100 000%

## KEEP OUT OF REACH OF CHILDREN CAUTION

NOTE TO PHYSICIAN: If ingested, administered Vitamin Ki intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

SEE LABEL ON OUTER PACKAGE FOR ADDITIONAL PRECAUTIONARY INFORMATION.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS and BAITING DIRECTIONS. It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

EPA Reg. No. 12455-68

EPA Est No 12455-WI-1

Maunfactured by Bell Laboratories, Inc.

Reusable

### **Prebaited**

# Contrac® Mouse Bait Station KILLS MICE

Kills Warfarin-Resistant Rodents


Active Ingredient:
Bromadiolone,
3-[3-(4'-Bromo-[1, 1-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-1benzopyran-2-one 0 005% Inert Ingredients 99 995%

Total 100 000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See back panel for additional precautionary statements)



#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its kelling.

#### **USE RESTRICTIONS:**

DO NOT USE THIS PRUDUCT IN AREAS ACCESSIBLE TO CHILDREN PETS, DOMESTIC ANIMALS, AND NONTARGET WILDLIFE. For control of house mice in and around homes, industrial, commercial, agricultural, and public buildings. Do not place in areas where there is possibility of contaminating food or surfaces that come in direct contact with food.

#### **SELECTION OF TREATMENT AREAS:**

Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, beside burrows, or in comers and concealed places

#### **APPLICATION DIRECTIONS:**

HOUSE MICE: Place bait station at intervals of 8 to 10 feet along walls. or in corners where mice live or travel. When bait is consumed, replace with one CONTRAC, All-Weather BLOX (EPA Reg. No. 12455-79). Do not fill this station with any bait other than CONTRAC Al-Weather BLOX.

TO REFILL: (See illustrations below) 1. Fully insert 2-pronged key in holes on top of CONTRAC Mouse Bait Station, 2. Bend key away from station 3 Gently lift up. 4, Place one CONTRAC All-Weather BLOX in the triangular area next to the hinge 5. Close lid until it snaps. securely. Repeat steps for easy rebaiting.

To prevent reinfestation, eliminate food, water and harborage. as much as possible. If reinfestation does occur, repeat treatment

#### STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store only in onginal container in a cool, dry place inaccessible to children and pets

DISPOSAL: Securely wrap original container and/or unused, spoiled, or fragmented bait in several layers of newspaper and discard in trash.

#### PRECAUTIONARY STATEMENTS:

Hazards to humans and domestic animals.

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIANS: If ingested, administer Vitamin Ki intramuscularly or orally as indicated in bishydroxycoumarin. overdoses. Repeat as necessary based on monitoring of prothrombin times.

#### ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wirlife. Keep out of lakes, streams and ponds.



1









NET CONTENTS: 1 oz. (28 gms)

EPA EST. NO. 12455-W/L1

EPA REG. NO. 12455-48

Manufactured by:



Bell Laboratories, Inc. m W7 53704 U S A