UNITED STATAS	U.S. ENV ONMENTAL PROTECTION AGENCY Office of Pesticide Programs	EPA Reg. Number: 12455-76	Date of Issuance:	
NIRONAL PROTECTOR	Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460		FRAN 1 8 200.	
	NOTICE OF PESTICIDE:		Inconditional	
	Registration _ <u>x</u> Reregistration	Name of Pesticide Pro	oduct:	
	(under FIFRA, as amended)	CONTRAC RO	CONTRAC RODENTICIDE	
	ling differing in substance from that accepted in connection with this regi			
On the basis of inform Fungicide and Rodenti to protect health and th with the Act. The account	prior to use of the label in commerce. In any correspondence on this production furnished by the registrant, the above named pesticide is hereby registration for a second	istered/reregistered under the recommendation of this prod ad or cancel the registration o	Federal Insecticide, uct by the Agency. In ord f a pesticide in accordance	
	on your response to the Reregistration Eligibility above. This action is taken under the authority of	f section $4(g)(2)(C)$	of the Federal	
Insecticide, Fur eliminate the n	ngicide, and Rodenticide Act, as amended. Rere eed for continual reassessment of pesticides. EP intain the registration of your product.			

13

active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable with the following comments:

Please see pages 2, 3, and 4 for label comments.

You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Notice or the next printing of the label whichever occurs first, must bear the new revised label.

A stamped copy of the label is enclosed for your records. Should you have any questions, please contact Jennifer Gaines at (703) 305-5967.

Signature of Approving Official:	Date:			
Mellell A. Dus Meredith F. Laws, Chief		MAR 1	8 2009	
Insecticide-Rodenticide Branch		i		
Registration Division				

EPA Form 8570-6

ł

Page 2 Notice of Reregistration (continued) EPA Reg. No. 12455-76

1. Revise the statement under the product names on pages 1 and 4 to read "Norway rats, roof rats, and house mice..."

2. Insert the following statement directly under the active ingredients statement: "In order to ensure a consistent and satisfactory control of listed rodents, do not sell this product 6 months after manufacturing."

3. Revise your "FIRST AID" and "NOTE TO PHYSICIAN OR VETERINARIAN" texts on pages 1 and 4 as follows:

FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

- Call a poison control center, doctor, 1-877-854-2494, or 1-800-858-7378¹ [optional phone numbers] immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- IF ON SKIN:

• Wash with plenty of soap and water.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

¹ Also call this number for information on health concerns and pesticide incidents. [Include this footnote if you choose to use the associated phone number.]

NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer K1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-xxx-xxxx [optional] at once. NOTE TO VETERINARIAN

Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K_1 at [insert dose if known]. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

Page 3 Notice of Reregistration (continued) EPA Reg. No. 12455-76

4. As stated in 40CFR156.140(a)(4), a batch code must be included on the label or package.

5. Revise the USE RESTRICTIONS section on pages 2 and 5 to read:

USE RESTRICTIONS: "For control only of Norway rats, roof rats, and house mice in the sites identified below for **Urban Areas** and **Non-urban Areas**. Do not place in edible product areas of feed processing plants, restaurants or other areas where food or feed is commercially prepared or processed or place near or inside ventilation duct openings. When used in USDA-inspected facilities, this product must be applied in tamper resistant bait stations. Do not broadcast bait."

URBAN AREAS: "This product may only be used in and around homes, industrial, commercial, and public buildings; in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings; and in alleys. Do not apply further than 50 feet from buildings. Do not use this product in sewers."

NON-URBAN AREAS: "This product may only be used inside of homes and agricultural buildings."

6. Revise the first sentence of the SELECTION OF TREATMENT AREAS section to state "Determine areas where rats or house mice..."

7. Revise the last sentence in the **RATS** subsection of the **APPLICATION DIRECTIONS** section on pages 2 and 5 to read "Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease to appear."

8. Revise the last sentence in the **MICE** subsection of the **APPLICATION DIRECTIONS** section on pages 2 and 5 to read "Maintain an uninterrupted supply of fresh bait for 10 days or until signs of mice activity cease to appear."

9. Insert HOUSE before MICE under the APPLICATION DIRECTIONS on pages 2 and 5.

10. Revise the text under "CAUTION" on Pages 2 and 5 as follows:

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing. All handlers (including applicators) must wear: shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

Page 4 Notice of Reregistration (continued) EPA Reg. No. 12455-76

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

11. Revise the second sentence in the ENVIRONMENTAL HAZARDS section on pages 3 and 6 to read: "Dogs and predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait."

12. Insert "**PESTICIDE**" before "**STORAGE**" in the **STORAGE AND DISPOSAL** section on pages 3 and 6.

13. Please include the EPA Registration Number on the individual place pac label.

14. Please make the following marketing claim revisions:

a. For indoor & outdoor rodent control

b. Place pacs fit easily into rat burrows, runways & hard to reach areas where rodents live and breed.

c. Place bait in locations inaccessible to children, pets, and **non-target** wildlife or in tamper-resistant bait stations where rodents or their signs have been seen.

d. Maintain an uninterrupted supply for 15 days (house mice) or 10 days (rats) or until all signs of activity stop.

Stocks of product with existing labels may be used for twelve (12) months. As stated under the **Terms and Conditions of Sale and Distribution** on page 35 of the Agency's revised May 28, 2008 "*Risk Mitigation Decision for Ten Rodenticides*":

a. Product is prohibited for sale in stores oriented towards residential consumers: Grocery, Drug, Hardware and Home Improvement. It is acceptable for sale in stores oriented toward agricultural consumers: Farm, Agricultural, Tractor Stores.

b. Product may not be sold in packaging that holds less than 16 pounds of bait.

This product is in full compliance with the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides".

Note: Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In

Page 5 Notice of Reregistration (continued) EPA Reg. No. 12455-76

addition, **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Jennifer Gaines by phone (703) 305-5967, or e-mail (gaines.jennifer@epa.gov).

Enclosures: 1. Stamped Label

OUTER CONTAINER - COMPLETE LABEL - PACKAGE WEIGHTS 16 LB. OR GREATER

CONTRAC®

RODENTICIDE Ready To Use Place Pacs ACCEPTED with COMMENTS In EPA Letter Dated MAR 1 8 2009 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-76

KILLS RATS AND MICE

KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:	
Bromadiolone (CAS #28772-56-7):	0.005%
INERT INGREDIENTS*:	<u>99.995%</u>
	100.000%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

•Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice. •Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K_1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for First Aid and additional precautionary statements.

NET WEIGHT: 16 lb. – 50 lb. containers

Manufactured by:

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

EPA REG. NO. 12455-76

EPA EST. NO. 12455-WI-1

DIRECTIONS FOR USE

シ 13

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Bait stations are mandatory for outdoor, above ground use. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial, agricultural, and public buildings, and similar manmade structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port and terminal buildings. This product may also be used in alleys. Do not use in sewers. Do not apply further than 50 feet from buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 16 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

RATS: Apply 2 to 10 Place Pacs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days. **MICE**: Place 1 Place Pac at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for at

MICE: Place 1 Place Pac at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing, Wash thoroughly with soap and water after handling. Wear gloves if bait is handled.

ENVIRONMENTAL HAZARDS

8/3

This product is toxic to fish, birds and other wildlife. **Predatory** and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

PESTICIDE CONTAINER: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

<u>INNER CONTAINER - COMPLETE LABEL - PACKAGE WEIGHT 2 LB.TO 10 LB.</u>

RODENTICIDE

Ready To Use Place Pacs

KILLS RATS AND MICE

KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:	
Bromadiolone (CAS #28772-56-7):	0.005%
INERT INGREDIENTS*:	<u>99.995%</u>
	100.000%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

•Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice. •Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for First Aid and additional precautionary statements.

NET WEIGHT: 2 lb. – 10 lb. containers

INDIVIDUAL SALE IS PROHIBITED BY LAW

Manufactured by:

Bell Laboratories, Inc.

3699 Kinsman Blvd. Madison, WI 53704

EPA REG. NO. 12455-76

EPA EST. NO. 12455-WI-1

Page 4 of 8

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Bait stations are mandatory for outdoor, above ground use. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: For control \bigwedge f Norway rats, roof rats, and house mice in and around homes, industrial, commercial, agricultural, and public buildings, and similar manmade structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port and terminal buildings. This product may also be used in alleys. Do not use in sewers. Do not apply further than 50 feet from buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food \bigwedge Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 16 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

RATS: Apply 2 to 10 Place Pacs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Place 1 Place Pac at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing, Wash thoroughly with soap and water after handling. Wear gloves if bait is handled.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

PESTICIDE CONTAINER: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label

INNER CONTAINER - ABBREVIATED LABEL – INDIVIDUAL PLACE PACS

CONTRAC®

RODENTICIDE Ready-To-Use Place Pac

KILLS RATS AND MICE

100.000%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

•Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

•Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K_1 intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

SEE LABEL ON OUTER PACKAGING FOR ADDITIONAL PRECAUTIONARY INFORMATION


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS and BAITING INSTRUCTIONS. It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

NET WEIGHT: 1.5 oz. (43 g)

INDIVIDUAL SALE IS PROHIBITED BY LAW

Manufactured by:



EPA REG. NO. 12455-76

EPA EST. NO. 12455-WI-1

OPTIONAL MARKETING STATEMENTS:


For use in and around homes and buildings Mouse and rat bait For indoor & outdoor rodent control Bait pacs can be used indoors or out Place pacs fit easily into rat burrows, runways & hard to reach areas where rodents live and breed DO NOT OPEN PLACE PAC - Simply position in desired locations. Rodents will open it themselves.

Place bait in locations inaccessible to children, pets, and wildlife or in tamper-resistant bait stations where rodents or their signs have been seen.

Maintain an uninterrupted supply for 15 days (mice) or 10 days (rats) or until all signs of activity stop. Pre-measured

Made in USA Ready to Use Pelleted Bait Contains Pelleted Bait Pellets Pellet formula Pellet formula

OPTIONAL GRAPHICS WITHOUT TEXT:



Version 082608

Page 8 of 8