#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to redenicides. To help

- revent accidents:

  1. Store product not in use in a location out of reach of children and pets.

  2. Apply bail is loca\*ces cut of reach of children, pets, domestic animals and nontarget wildrie, or in temper-resistant bait stellans. These stations must be resistant to destruction by dogs and by children under eix years of age, and must be used in a manner that prevents such children from reaching into bail compartments and obtaining bait. If bail can be shallen from stations when they are litted, units must be secured or otherwise immobilized. Even stronger bail stations are needed in arrest open to hooted frestock, raccooms, bairs, or other potentially destructive animals, or in areas prone to vandatism.

  3. Dispose of product container and unused, apolled, and unconsumed bail as specified on this table.

#### **USE RESTRICTIONS:**

For control of Norway rats, Roof rats and House mice.

This product may be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC SLOX may also be used in and around transport vehicles (ships, trains, aloralt) and refered part or termin: suitings. May also be used in alleys. Do not use in sewers. NON-URBAN AREAS:

This product may be used inside of homes and agricultural buildings.

Do not place beit in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rate or mice will most likely lind and consume the bait. Generally, these areas are along wells, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Plemove as much afternative food as possible.

### **ALL-WEATHER**

# Contrac® Blox

## KILLS RATS AND MICE

### **KILLS WARFARIN RESISTANT NORWAY RATS**

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or live days after treatment begins.

ACTIVE INGREDIENT: Branadators:

3-[3-(4-Brome-[1,1'-bithery@4-y@3-hydroxy-1-

phonylpropyl-4 < vdroxy-2H-1-benzopyran-2-one....... 9.005%

NERT INGREDIENTS..... .....91.195% TOTAL

100,000%

### KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal it surationed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bail. If swallowed, call a physician at once.

(See right panel for additional precautionary statements.)

Mia. by :

NET WEIGHT: 1.75 LBS.

Bell Laboratories, Inc. Madison, WI 53704 U.S.A.

EPA Reg. No. 12455-79 EPA Est. No. 12455-WI-1

#### **APPLICATION DIRECTIONS:**

Each brit block in this container weight approximately one ounce.

RATS Place 3 to 16 CONTRAC BLOX (usually at intervals of 15 to 30 feet) per placement. Maint in an uninterrupted supply of tresh beit for at least 10 days or until signs of rat activity

BICE: Place 1 block per placement. Space placements at 8- to 12- foot intervals. Two CONTRAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh belt for at least 15 days or until signs of mouse activity cease. RATS AND BICE: Replace conteminated or spoiled ball invinedably. Collect and dispose of all dead animals and leftover beit groperly. To prevent reinfestation, limit sources of rudent food, water, and harborage as much as possible. If reinfestation does occur repeat treatment. Where a continuous source of infestation is present, establish perme and bail

#### STORAGE AND DISPOSAL

Do not contaminate water, lood, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry area inaccessible to child en and pets.
PESTICIDE DISPOSAL: Waster resulting from the use of this product may be disposed of on site or as an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty pall. Then dispose of empty pall in a sanitary landfli or by inclearation, or, if allowed by state and local authorises, by burning. If burned,

stay out of smoke.


#### PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, dommatic arrivals and pets. It swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thor cughly with soep and water after hending. It swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, Intramuscularly or crafty as indicated in bushydroxycourserin overdoses. Repeat as necessary based on monitoring of protivation times.

ENVIRONMENTAL HAZAROS
This product is toxic to fish and witefile, Keep out of lakes, streams or ponds.

BEST AVAILABLE COPY



## KILLS RATS AND MICE

#### **KILLS WARFARIN RESISTANT NORWAY RATS**

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

# CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

**NET CONTENTS: 8 - 1 oz. Blox** 

Bell Laboratories, Inc. Madison, WI 53704 U.S.A.

EPA Reg. No. 12455-79 EPA Est, No. 12455-WI-1

## ACCEPTED JAN 28 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, os amended, for the pesticide togistered under EPA Reg. No. 12455-79

**BEST AVAILABLE COPY** 

cy Cy

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose childran, pets, or other nontarget animals to rodenucides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply balt in locations out of reach of children, pets, domestic animals and nonterget wildlife, or in temper-resistant halt stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into balt compartments and obtaining balt. If balt can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger balt stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

#### USE RESTRICTIONS:

For control of Norway rats, Roof rats and House mice.

#### URBAN AREAS:

This product may be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC BLOX may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

#### **NON-URBAN AREAS:**

This product may be used inside of homes and agricultural buildings,

Do not place ban in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS:**

Each bait block in this container weighs approximately one ounce. This package contains enough bait (8 oz.) to foll two to eight rats.

RATS: Place 3 to 16 CONTRAC BLOX (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of frush bait for at least 10 days or until signs of rat activity cease.

MICE: Place 1 block her placement. Space placements at 8- to 12- foot intervals. Two CON: RAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh beit for at least 15-days or until sings of mouse activity peace.

15 days or until signs of mouse activity oease.

RATS A': MICE: Replace contaminated or spoiled bait immediately.

Collect and dispose of all dead animals and laftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as nuch as possible. Il reinfestation does occur, repeat treatment, Where a continuous source of infestation is present, establish permanent bait stations and replenish as meded.

#### STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry area ineccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several leyers of newspaper and discard in trash.

# PRECAUTIONARY STATEMENTS HAZAHDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid corract with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of takes, streams or ponds.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer as number all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**BEST AVAILABLE COPT** 

ν, 4c

## ACCEPTED JAN 28 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-7

# **ALL-WEATHER** Contrac Blox

### KILLS MICE

House mice may consume a lethal dose in one feeding with first dead mice appearing four or five days after treatment begins.

### KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or falst if pivalbund or absorbed fir stugh the skin. Do not get in eyes, on skin, or en clothing. Wach hands alter handling bait. If swallowed, call a physician at

(See back panel for additional precautionary statements.)

ACT: E NGREDIENT: Brumadicione: 3f3-(4'-Brone-j1, 1'-bizhenyi) 4 yi) 3 hydray 1phenylpropyi 4 hydray 2i-1-benzopyran-2-one 0.005%
MERT NGREDENTS 99.995%

Bell Laboratories, Inc. Madison, WI 53704 U.S.A.

EPA REG. NO. 12455-79

EPA FST, NO. 12455-WI-1

**NET CONTENTS: 4-1 oz. BLOX** 

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner incomissions with its labeling

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

BMPORT ANT: Do not expose children, pass, or other norsarget arithals to rodenticides. To help to prevent accidents:

1. Since product not in use in a location set of reach of children and past.

2. Apply ball infloations out of reach of children, pass, down: the animals and norsarget wildlise, or intempor resistant ball stations. These stations must be resident to description by dogs and lay children ander six years of ago, and must be used in a manner that prevents such children from reaching into ball comparaments and eletaining ball. If ball can be shaken from stations when they are litted, units must be secured or otherwise immediated. Even alrenge ball stations are resided in areas openito hoofed livedlock, raccome, bears, or even potentially destructive armsits, or in areas proms to variodition.

3. Dispose of product nontainer, and wrused, spoiled, and enconsumed ball as specified on this tabel.

#### USE RESTRICTIONS:

RESTRICT FORMS:
Incid of House mice.
URBAN AREAS: This product may be used in and around the periphery of homes, industrial, commercial, and public buildings.
CONTRAC BLOX may also be used in and around it areport vehicles (trips, trans, aircrait) and related port or ferminal builds gs.
May also be used in alleys. Do not use in severs.
HONLURBAN AREAS: This product may be used incide of homes and agricultural buildings.

Do not place ball in areas where there is a possibility of companing load or surfaces that come in direct contact with load.

#### SELECTION OF TREATMENT AREAS:

Determine areas where mize will most likely first and consume the balt. Generally, these areas are along walls, by gnewto operings, in or beside burrent, in current, in currents and concessed piscess, between floors and walls, or in locations where redents or their signs have been seen. Remove as much all innative food as possible.

NOTE: These to block per placement. Space placements at 8-to 12-test intervals. Two CONTRAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrepted supply of tests balt for at least 15 days or until signs of mouse activity cease. Replacecortaminated a space to be interval-arity. Cafect and dispose of all dead primate and fellower balt preparty. To prevent windestaton, test sources of redest tood, in are, and histograps as much as possible. If remission does docur, repeat treatment, Where a consinuous source of infestation is present, establish permanent balt stations and replantsh as needed.

STORAGE AND DISP OSAL.
STORAGE: Store only in priginal container, in a dry area ineccessible to children and pets.
DISPOSAL: Do not reuse empty conserver. Securely emap enginal container in several layers of newspaper and discard in trash.

PRECALITIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC AVMIALS
CAUTION
Keep twoys on humans, domestic arimals and pairs. Eswalleaud, this material may reduce the detring ability of the blood and cause blooding. And cent

NOTE TO PHYSICIAN: It ingested, administrar Vicamin IX, intramacularly or entity as indicated in biddyd dryosemaein everdoues. Repeat as neces sary based on morelioning of prothonous times.

ENVINCAMENTAL HAZARDS
This product is twice to fish and wilddie. Keep out of lakes, streams or poncis,