

11/11/1975 -77 25 24

ALL-WEATHER **Contra[®] Blox[®]** **KILLS RATS AND MICE**

KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.


ACTIVE INGREDIENT Bromadiolone:	
3-[3-(4-Bromo-1,1'-biphenyl)-4-yl]-3-hydroxy-1-phenylpropyl-4-hydroxy-2H-1-benzopyran-2-one	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling box. If swallowed, call a physician at once.

(See back panel for additional precautionary statements.)

NET CONTENTS: 8 - 1 oz. Blox

Mfg. by:  **Bell Laboratories, Inc.**
Madison, WI 53704 U.S.A.

EPA Reg. No. 12455-79
EPA Est. No. 12455-WI-1

ACCEPTED
SEP 9 - 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 12455-77

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS:

For control of Norway rats, Roof rats and House mice.

URBAN AREAS:

This product may be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC BLOX may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

NON-URBAN AREAS:

This product may be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Each bait block in this container weighs approximately one ounce. This package contains enough bait (8 oz.) to kill two to eight rats.

RATS: Place 3 to 16 CONTRAC BLOX (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Place 1 block per placement. Space placements at 8- to 12-foot intervals. Two CONTRAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST AVAILABLE COPY

ALL-WEATHER ContraC® BloX®

KILLS MICE


House mice may consume a lethal dose in one feeding
with first dead mice appearing four or five days after treatment begins.

KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.
(See back panel for additional precautionary statements.)

ACTIVE INGREDIENT: Bromadiolone;
3-[3-(4-Bromo-1,1'-biphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-1-benzopyran-2-one... 0.005%
INERT INGREDIENTS... 99.995%
TOTAL: 100.000%

Manufactured by

 Bell Laboratories, Inc.
Macon, WI 53704 U.S.A.

EPA REG. NO. 12455-79

EPA EST. NO. 12455-W11

NET CONTENTS: 4- 1 oz. BLOX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under ten years of age, and must be used in a manner that prevents such children from reaching into bait compartments or obtaining bait. If bait can be shaken from stations when they are used, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooked livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on the label.

USE RESTRICTIONS:

For control of House mice

URBAN AREAS: This product may be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC BLOX may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

NONURBAN AREAS: This product may be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS:

Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

BLOX: Place 1 block per placement. Space placements at 8- to 12-foot intervals. Two CONTRAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL:

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIANS: If treated, administer Vitamin K intramuscularly or orally as indicated in hydroquinone overdose. Repeat as necessary based on monitoring of prothrombin time.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

ACCEPTED
SEP 9 - 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
is certified for the pesticide
registered under
EPA Reg. No. 12455-79

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are filled, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unaccounted bait as specified on this label.

USE RESTRICTIONS:

For control of Norway rats, Roof rats, and House mice.

URBAN AREAS:

This product may be used in and around the periphery of homes, industrial, commercial, and public buildings. CONTRAC BLOX may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

NON-URBAN AREAS:

This product may be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by general openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

ALL-WEATHER

Contrac® Blox
KILLS RATS AND MICE

KILLS WARFARIN RESISTANT NORWAY RATS

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT Bromadiolone,	
3-[p-(4-Bromo-[1,1'-biphenyl]-4-yl)-3-hydroxy-1-	
phenylpropyl-4-hydroxy-2H-1-benzopyran-2-one	0.005%
INERT INGREDIENTS	99.995%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

(See right panel for additional precautionary statements.)

Mfg. by:

NET WEIGHT: 1.75 LBS.



Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

EPA Reg. No. 12455-79
EPA Est. No. 12455-WI-1

APPLICATION DIRECTIONS:

Each bait block in this container weighs approximately 1.75 lbs. **RATS:** Place 3 to 18 CONTRAC BLOX (usually at least 3) in bait stations. Maintain an uninterrupted supply of fresh bait for at least 15 days. **MICE:** Place 1 block per place. Space place bait stations. CONTRAC BLOX may be needed at points of uninterrupted supply of fresh bait for at least 15 days. **RATS AND MICE:** Replace contaminated or spoiled bait. Remove all dead animals and leftover bait property. To prevent food, water, and harborage as much as possible. Where a continuous source of infestation is present, bait stations and replenish as needed.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original container, in a dry, cool, well-ventilated area. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product should be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Completely empty container into a hole or by incineration, or, if allowed by state and local authorities, may be recycled.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Keep away from humans, domestic animals and pets. Avoid contact with skin, eyes, nose, mouth, and clothing. Wash hands after handling. Avoid breathing dust or fumes.

NOTE TO PHYSICIAN: If ingested, administer 50 cc of 1% solution of potassium permanganate or 1% solution of potassium dichromate. Repeat every 2-3 hours.

ENVIRONMENTAL PRECAUTIONS:

This product is toxic to fish and wildlife. Keep out of water.

BEST AVAILABLE COPY

ACCEPTED
SEP 9 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 12455-79

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS:

For control of Norway rats, Roof rats and House mice.

URBAN AREAS:

This product may be used in and around the periphery of homes, industria, commercial, and public buildings. CONTRAC BLOX may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

NON-URBAN AREAS:

This product may be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

Contrac[®] ALL-WEATHER Blox[®]

KILLS RATS AND MICE

Kills Warfarin Resistant Norway Rats

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four to five days after treatment begins.

ACTIVE INGREDIENTS: Bromadiolone;

3-[3-(4'-Bromo-[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]
4-hydroxy-2H-1-benzopyran-2-one..... 0.005%

INERT INGREDIENTS..... 99.995%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

May be harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands after handling bait. If swallowed, call a physician at once.

(SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET WEIGHT: 4 lbs. (1.8 kg)

Mfg. by.



Bell Laboratories, Inc.
Macon, WI 54704 U.S.A.

EPA REG NO 12455-7

ACCEPTED
SEP 9 1993

EPA REG NO 12455-WI 1

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 12455-79

APPLICATION DIRECTIONS

Each bait block in this container weighs approximately one ounce.

RATS: Place 3 to 16 CONTRAC BLOX (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Place 1 block per placement. Space placements at 8- to 12-foot intervals. Two CONTRAC BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty pail. Then dispose of empty pail in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST AVAILABLE COPY