

ACCEPTED

NOV 9 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 12455-80

Ditrac®

ALL-WEATHER BLOX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product is especially suited for wet or damp areas, such as river banks, gullies, irrigation ditches, sewers, garbage dumps and landfills.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

MOLD RESISTANT • MOISTURE RESISTANT

**KILLS NORWAY RATS, ROOF RATS
AND HOUSE MICE**

ACTIVE INGREDIENTS:	0.005%
Diphacinone; (2-diphenylacetyl-1, 3-indandione)	
INERT INGREDIENTS:	99.995%
TOTAL:	100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE RIGHT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS)

NET WEIGHT: 18 LBS. (8.18 Kg.)

EPA Reg. No. 12455-80

EPA Est. No. 12455-WI-1

MANUFACTURED BY:



Bell Laboratories, Inc.
Middletown, NJ 07940 U.S.A.

APPLICATION DIRECTIONS

Each bait block in this container weighs approximately one ounce.

RATS: Place 3 to 16 DITRAC All-Weather BLOX (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

HOUSE MICE: Apply 1 block per typical placement. Space placements at 8- to 12-foot intervals. Two DITRAC All-Weather BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty pail. Then dispose of empty pail in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in diphydrocoumatin overdoses. Repeat as necessary based on monitoring of prothrombin time.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams or ponds.