ACCEPTED MAY 191993

Under the Federal Insecticide, Fungicitie, and Rodenticide Act, as amended, for the pesticide segistered under EFA Res. No./2455-80

Diffac® ALL-WEATHER BLOX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

MPORTANT: Do not expose children, pets, or other nontarget animals to rodersicides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pats.
- 2. Apply ball in locations out of reach of children, pets, domestic animals and nonterget wildfile, or in temper-realistant balt stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a menner that prevents such children from reaching into balt compartments and obtaining bait. If balt can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger balt stations are needed in areas open to hoofed fivestock, recoons, bears, or other potentially destructive arimals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed balt as specified on this label.

USE RESTRICTIONS: For cortrol of Norway rats, Roof rats and House mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product is especially suited for wet or damp areas, such as river banks, guilles, irrigation ditches, sewers, garbage dumps and landfills.

Do not place balt in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will socializely lifted and confurms thin balt. Generally, these areas are along wells, by grawed openings, in or builde burrows, in corners and concealed places, Estudentiflocal and walts, or in locations where rödlefts or their signs have been seen. Fermove as much alternative food as possible.

PEANUT FLAVORED

MOLD RESISTANT • MOISTURE RESISTANT

KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE

ACTIVE INGREDIENT: 0.005%

Diphecirone; (2-dipherylecetyl-1, 3-indandione)

INERT INGREDIENTS: 99.995%

TOTAL: 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.)

NET WEIGHT: 18 LBS. (8.18 Kg.)

EPA Reg. No. 12455-80

EPA Est. No. 12455-WI-1

MANUFACTURED BY:



APPLICATION DIRECTIONS

Each belt block in this container weight approximately one ounce.

RATS: Place 3 to 16 DITRAC All-Weather BLOX (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh belt for at least 10 days or until stone of rat activity cases.

HOUSE MICE: Apply 1 block per typical placement. Space placements at 6-to 12-foot intervals. Two DITRAC All-Weather BLOX may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh belt for at least 15 days or urail signs of mouse activity casse.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover balt properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment, Where a continuous source of infestation is present, establish permanent balt stations and replenish as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty pail. Then dispose of empty pail in a sanitary landiil or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANMALS CAUTION

Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clothing ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumerin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

Keep out of letters, streams or ponds.