

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

12455-81

DATE OF ISSUANCE

NOV 18 1992

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

DITRAC RODENTICIDE

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Reg-41 1245-81
Bell Laboratories, Inc.
3599 Kinsman Boulevard
Madison, WI 53704

11-11
7 5428802 $\frac{166}{18}$ 133
5429662 $\frac{166}{38}$
J 5426128 $\frac{166}{38}$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), subject to the provisions below.

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 12455-81".
 - b. Change "3 to 16 oz." to "4 to 16 oz." in the "APPLICATION DIRECTIONS" for "RATS".
3. Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Ra

DATE

NOV 18 1992

2. 3

This registration will be subject to cancellation in accordance with FIFRA sec. 6(e) if you do not comply with these conditions. Your release for shipment of the product constitutes acceptance of these conditions.

We have the additional following comments regarding the efficacy studies submitted in support of registration of this product:

The efficacy studies are acceptable and were assigned the MRID numbers 424388-01 for the mouse test and 424388-02 for the rat test. We noted a few discrepancies in the raw data and typed data sheets for the rat study. The most extreme of these was the reporting that male #53 had died on the third day of the bait exposure period despite the fact that 25.4 g of food consumption on day 4 was recorded for this animal on page 22 of the report.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

- Enclosures: 1) Stamped label
2) A-79 Enclosure

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooded livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS:

For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS:

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

Ditrac®

RODENTICIDE

KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE

ACTIVE INGREDIENT: Diphacinone;	
2-(Diphenylacetyl)-1,3-indandione.....	0.005%
INERT INGREDIENTS	99.995%
	TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

(See right panel for additional precautionary statements)

Net Contents: 25 lbs.

Mfg. by:



Bell Laboratories, Inc.
Madison, WI 53704 U.S.A.

EPA EST. NO. 12455-WI-1

EPA REG. NO. 12455-81

APPLICATION DIRECTIONS

RATS: Apply 3 to 16 oz. of bait per uninterrupted supply of fresh bait for at least 15 days.

MICE: Apply 1/4 to 1/2 oz. (1 to 2 level tablespoons) at 12-foot intervals. Larger placements (up to 16 oz.) may be used at points of very high mouse activity. Maintain a supply of fresh bait for at least 15 days.

RATS AND MICE: Replace contaminated bait immediately. Collect and dispose of all dead animals properly. To prevent reinfestation, limit water, and harborage as much as possible. If infestation occurs, repeat treatment. Where a continuous infestation is present, establish permanent bait stations as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container and keep inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved disposal facility.

CONTAINER DISPOSAL: Completely empty container in a sanitary landfill or by incineration, if incineration is required by state and local authorities, by burning. If burning, do not burn where people or animals are present.

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Keep away from humans, domestic animals, and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administered by mouth, or orally, as indicated in the directions, repeat as necessary based on medical advice.

ENVIRONMENTAL HAZARD

Keep out of lakes, streams or ponds.

393

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 12455-81

REGISTERED
with COMMENTS
by EPA Letter Docket
NOV 18 1992

BEST AVAILABLE