PM-14

Reg # 12455-81

S515379

172

DEC 1 0 1996

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Attention: Ms. Victoria Dunnum

Subject: Ditrac Rodenticide EPA Registration No. 12455-81 Your letter of June 7, 1996 Cal/EPA's letter of June 27, 1996 -

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that, within 18 months of receipt of this letter, you make the following changes and submit one (1) copy to us before you ship your product:

1. Revise your "Environmental Hazards" section to:

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

READ THIS LABEL: Read this entire label and follow all use directions and use precautions,

IMPORTANT: Do not expose children, pets, or other nontarget animals to redenticides. To help to prevent accidents:

- 1. Store product not in use in a location out of reach of children and pels.
- 2 Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamperresistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age. and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger balt stations are needed in areas open to hoofed livestock. raccoons, bears, or other potentially destructive animals, or, in areas prone to vandalism.
- 3 Dispose of product container, and unused, spoiled, and unconsumed bail as specified on this label.


USE RESTRICTIONS:

For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait,

SELECTION OF TREATMENT AREAS:

Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect balt from rain or snow. Remove as much alternative food as possible.



Ditrac RODENTICIDE

KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE


ACTIVE INGREDIENT; Diphacinone; 2-(Diphenylacetyl)-1, 3-indandione 0.005% INERT INGREDIENTS: 99.995% 100.000% TOTAL

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right panel for additional precautionary statements)

Net Contents 25 lbs.

Mfg. by:



EPA EST. NO. 12455-WI-1

1005

EPA REG. NO. 12455-81

APPLICATION DIRECTIONS RATS: Apply 4 to 16 oz, of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

MICE: Apply 1/4 to 1/2 oz. (1 to 2 level toblespoond) of bait at 8- to 12-foot intervals. Larger placements (np to 2 oz.) may be needed at points of very high mouse activity. Mathtain an uninferrupted supply of fresh bait for at least 15 days.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent balt stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a dry place inaccessible to children and pels.

PESTICIDE DISPOSAL: Wastes resulting from the use of this " product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by buring. If burned stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals, and pets. Wear protective gloves when applying bait. With detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding or transferring food or feeds. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD Keep out of lakes, streams or ponds.



ç