

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUN 1 1 2008

John Lublinkhof Director of Regulatory Affairs Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Subject: Label Notifications for Pesticide Registration Notice 2007-4

Dear Mr. Lublinkhof:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated May 7, 2008 for:

EPA Registration 12455-97	Fastrac Place Pacs
EPA Registration 12455-91	Final Rodenticide Ready-To-Use Place Pac
EPA Registration 12455-94	Final Rodenticide Place Pac
EPA Registration 12455-95	Fastrac All-Weather Blox

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)

Office of Pesticide Programs

Please	read	instru	ıctions	on	reverse	before	como	letina	forr
		-							
۵.									

	Registration
	Amendmen
1	

Form Approved. OMB No. 2070-0060, Approval expires 2-28-95 OPP Identifier Number

SEPA	Environmental Protection Agency  Washington, DC 20460					Amendment Other			
		<b>Application</b>	for Pesti	cide - Secti	on I				
1. Company/Product Number 12455-91			i	2. EPA Product Manager 3 John Hebert			3. Pr	. Proposed Classification	
4. Company/Product (Name) Final Rodenticide Ready-To-Use Place Pac				PM# 7					
5. Name and Address of Applicant (Include ZIP Code)  Bell Laboratories, Inc. 3699 Kinsman Blvd.  Madison, WI 53704  Check if this is a new address				6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  NOTIFICATION  EPA Reg. No.  JUN 1 2008  Product Name					
			Section -	- 11		·			
Amendment - Explain  Resubmission in respo	onse to Agency letter	dated		Final printed Agency lette "Me Too" Ap Other - Expla	r dated oplicatio	n.	e to		
Explanation: Use addition Notification of label char		2007-4 (See a	attached).				· · · · · · · · · · · · · · · · · · ·		
		<del> </del>	Section -	111					
1. Material This Product Will	Be Packaged In:				<del></del>	<del>,</del> -			
Child-Resistant Packaging  Yes  ✓ No	Unit Packaging  Yes  ✓ No  If "Yes"		Water Soluble  Yes  ✓ No  If "Yes"	2	. Type of	Container  Metal Plastic Glass Paper			
* Certification must be submitted	Unit Packaging wgt.	container	Package wgt	container			Other (S	ipecify)	
3. Location of Net Contents I	nformation ontainer	4. Size(s) Retail	Container 55 lb - 5.5 lb	1	r - 119	on of Lab On labe	el Directio	ns	
6. Manner in Which Lebel is Affixed to Product Paper gli Stencileo			ed			600000 2 C C	0000 00 0		
	·	<u>·                                      </u>	Section -	IV.			t 0 0	۵	
1. Contact Point (Complete i	tems directly below fo	or identification o	of individual to	be contacted, if	necess	ary, to pr	ocess this	applig#tion*j°	
Name John Lublinkhof		Tit Di		gulatory Affaiı	rs		608-241	a No. รู(Include Area Code) 1-0202	
I certify that the statem I acknowledge that any both under applicable is	knowlinglly false or r		attachments t					6. Date Application Received  (Stamped)	
2. Signature	Wir In 1		Title irector of Re	gulatory Affail	rs		·		
4. Typed Name John Lublinkhof			Date May 7, 2008					· .	

#### Section II (Explanation)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please see attached label incorporating the changes. The changes are highlighted in gray in the Storage and Disposal section.

## **FINAL**®

NOTIFICATION

JUN 1 1 2008

#### RODENTICIDE Ready-To-Use Place Pac

#### KILLS RATS AND MICE

#### KILLS WARFARIN RESISTANT NORWAY RATS AND HOUSE MICE

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

**ACTIVE INGREDIENT:** 

## KEEP OUT OF REACH OF CHILDREN CAUTION

# FIRST AID HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

- •Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- •Have person sip a glass of water if able to swallow.
- •Do not induce vomiting unless told to do so by the poison control center or doctor.


#### NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin  $K_1$  intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

NET CONTENTS: 5.5 lb. (2.5 kg) [100 x 0.88 oz. (25g) place pacs]

4.4 lb. (2 kg) [80 x 0.88 oz. (25g) place pacs] 1.38 lb. (0.63 kg) [25 x 0.88 oz. (25 g) place pacs] 0.55 lb. (250 g) [10 x 0.88 oz. (25 g) place pacs]

Manufactured by:



EPA REG. NO. 12455-91

EPA EST. NO. 12455-WI-1

<sup>\*</sup>Contains Denatonium Benzoate

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL**: Read this entire label and follow all use directions and use precautions.

**IMPORTANT**: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial, commercial, and public buildings, and similar manmade structures. May also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. This product may also be used in alleys. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

#### APPLICATION DIRECTIONS:

(Qualifier statement for  $10 \times 0.88$  oz. packages only: This package contains enough bait (8.8 oz.) to kill two to four rats).

RATS: Apply 4 to 16 pacs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there no longer are signs of fresh part activity.

MICE: Apply 1 pac per placement. Space placements at 8 to 12 foot intervals. Two pacs may be applied at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until there no longer are signs of fresh mouse activity.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Wear gloves if bait is handled.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

PESTICIDE CONTAINER: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

Alternate Environmental Hazards Language for packaging intended solely for consumer use (One lb. or less)

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply directly to water.

Alternate Storage and Disposal Language for packaging intended solely for consumer use (One lb. or less)

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children eard pets. Keep containers closed and away from other chemicals.

DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partially filled: Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

#### ADDTIONAL MARKETING STATEMENTS:

For Heavy Infestations

With Brodifacoum

Most Powerful Single Feed Anticoagulant

Use When Resistance is Suspected

Use When Food Competition is a Problem

For Use in and Around Homes and Buildings

Powerful Single Feed Anticoagulant

Powerful

Palatable Formulation

Mouse and rat bait

For indoor and outdoor rodent control

Bait pacs can be used indoors or out

Place pacs fit easily into rat burrow, runways and hard to reach areas where rodents live and breed

DO NOT OPEN PLACE PAC – Simply position in desired locations. Rodents will open it themselves.

Place bait in locations where rodents or their signs have been seen.

Maintain an uninterrupted supply for 15 days or until all signs of activity stop.

Pre-measured

Convenient

Easy to Use

Hands never touch the bait

Ready to Use

Made in USA

#### OPTIONAL GRAPHICS WITHOUT TEXT:



050708