


12455-100

10/10/2000

176  
18 5-586467 1/4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (7504C) WASHINGTON, DC 20460	EPA REGISTRATION NO. 12455-100	DATE OF ISSUANCE October 10, 2000
<b>NOTICE OF PESTICIDE:</b> REGISTRATION REREGISTRATION  (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Fastrac™ Mouse Seed Place Pac	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  Bell Laboratories, Inc. 3699 Kinsman Boulevard Madison, WI 53704  Attention: Mr. Craig A. Riekean		
<b>NOTE:</b> Changes in labeling/formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <p><b>Data Submissions</b>      Within fifteen (15) months of registration, submit the results of the following data:</p> <ol style="list-style-type: none"> <li>1. Storage Stability Data (830.6317)</li> <li>2. Corrosion Characteristics Data (830.6320)</li> </ol>		
SIGNATURE OF APPROVING OFFICIAL 	DATE OCT 10 2000	

**Labeling changes** Submit one (1) copy of final printed labeling with the following change before you release the product for shipment.

1. Change "EPA Reg. No. 12455-RNN" to "EPA Reg. No. 12455-100".

**Consequence for non-compliance** If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A copy of the stamped label is enclosed for you records.

Daniel B. Peacock, Biologist  
Insecticide-Rodenticide Branch  
Registration Division (7504C)

**Enclosures** 1. Stamped Label  
2. Minimum Type Sizes for Final Printed Labeling

**Letter location** A:\Bromethalin\12455-100 Notice of Registration August 2000.wpd  
October 10, 2000

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children from under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** For control of house mice in and around homes, industrial and agricultural buildings and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come into direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or signs of rodents have been observed. Protect bait from rain and snow. Remove as much alternative food as possible.

### APPLICATION DIRECTIONS:

House Mice: Apply 1 place pac per placement. Space placements at intervals of 8 - 12 feet in infested areas. Two place pacs may be used at points of extremely high mouse activity.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

# FASTRAC™

## MOUSE SEED

### Place Pac

### Kills House Mice

House mice may consume a lethal dose in a single feeding, with first dead mice appearing one to two days after bait consumption. Mice cease feeding after consuming a toxic dose in a single night's feeding. FASTRAC™ Mouse Seed PlacePac kills anticoagulant resistant house mice.

### ACTIVE INGREDIENT:

Bromethalin: N-methyl-24-dinitro-N-(2,4,6-tribromophenyl)-6-trifluoromethyl)benzenamine.....0.01%

INERT INGREDIENTS\*.....99.99%

\*Contains Denatonium Benzoate

TOTAL 100.00%

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### FIRST AID

**HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE.**

### IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

### IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water.
- Call poison control center, doctor, or 1-877-2494 immediately for treatment advice.

### NOTE TO PHYSICIAN OR VETERINARIAN

FASTRAC™ Mouse Seed PlacePac is not an anticoagulant type of rodenticide. If ingested, limit absorption by emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

NET CONTENTS: 60 x 15 g PlacePac

Manufactured by:

Bell Laboratories, Inc.  
Madison, WI 53704

EPA EST. NO. 12455-WI-1  
EPA REG. NO. 12455-RNN

**DIRECTIONS FOR USE**(continued from other panel)  
**APPLICATION DIRECTIONS** (continued from other panel)

**BAITING STRATEGY:** Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased. Collect and properly dispose of all dead animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through the skin. Avoid contact with eyes, skin, or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of empty container in sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated:

10-10-2000

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

12455-100

092500

# FASTRAC™

## MOUSE SEED

### Place Pac

Kills House Mice

**ACTIVE INGREDIENT:**

Bromethalin: N-methyl-24-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl)benzamide.....0.01%

INERT INGREDIENTS\*.....99.99%

\*Contains Denatonium Benzoate TOTAL 100.00%

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

OCT 10 2000

#### FIRST AID

**HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
the pesticide  
registered under EPA Reg. No.  
12455-100

**IF SWALLOWED:**

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water.
- Call poison control center, doctor, or 1-877-2494 immediately for treatment advice.

**NOTE TO PHYSICIAN OR VETERINARIAN**

FASTRAC™ Mouse Seed PlacePac is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

See outer pail for "DIRECTIONS FOR USE" text.

See outer pail for "STORAGE AND DISPOSAL" text.

**NET CONTENTS: 15 g PlacePac**

**Manufactured by:**

Bell Laboratories, Inc.  
Madison, WI 53704

EPA EST. NO. 12455-WI-1  
EPA REG. NO. 12455-RNN

092500

7/7