SAUROUNTED STATES TO REPART

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

JUL 1 1 2008

John Lublinkhof Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Subject: Label Notifications for Pesticide Registration Notice 2007-4

Dear Mr. Lublinkhof,

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated May 19, 2008 for the following products:

Ditrac[®] All-Weather Cake Ditrac[®] Super Size Blox ZP[®] Tracking Powder ZP[®] Rodent Bait Gopha Rid[®] Quintox[®] Rat and Mouse Bait Quintox[®] Mouse Seed Liqua-Tox II Talpirid (EPA Registration Number 12455-5) (EPA Registration Number 12455-14) (EPA Registration Number 12455-16) (EPA Registration Number 12455-18) (EPA Registration Number 12455-30) (EPA Registration Number 12455-39) (EPA Registration Number 12455-57) (EPA Registration Number 12455-61) (EPA Registration Number 12455-101)

The Registration Division (RD) has conducted its review of these requests for their applicability under PRN 2007-4 and finds that the label changes requested fall within the scope of PRN 2007-4. The labels submitted with the application have been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Steve Schaible of my staff at 703-308-9362.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

					114
Please read instructions on	reverse before completing for	<i>m</i> .	Form Approv	<u>ved. OMB No. 2070</u>	-0060, Approvel expires 2-28-
€PA	United S Environmental Pro Washington,	tection Agen		Registratio Amendmer Other	n OPP Identifier Number
· · · · · · · · · · · · · · · · · · ·	Аррі	ication for Pe	esticide - Sectio	n l	
. Company/Product Numb	Br		2. EPA Product Manage	r	3. Proposed Classification
12455-101		·	John Hebert		✓ None Restricted
. Company/Product (Name Talpirid)	. F	°M# 7		
	plicant (Include ZIP Code)		3. Expedited Reveiv	v. In accordance	with FIFRA Section 3(c)(3)
Bell Laboratories, Inc.			(b)(i), my product is similar oNGTIBICATION tion and labeling		
3699 Kinsman Blvd. Madison, WI 53704		-	o: EPA Reg. No	JUL 1	1 2008
	s is a new address		Product Name		• •
		Sectio			
	· · ·		[])	· ·	
Amendment - Explai	n below.	• •	Agency letter dated		
Resubmission in res	ponse to Agency letter dated _		"Me Too" Application.		
✓ Notification - Explain	below.		Other - Explain	below.	
	nal page(s) if necessary. (For	section Land Section			
	ange per PR Notice 2007-		•		
			/-		· · ·
· · · · · · · · · · · · · · · · · · ·	<u> </u>	Sectio	n - Ill		
. Material This Product Wi	i Be Packaged In:			· · · · · · · · · · · · · · · · · · ·	
Child-Resistant Packaging	Unit Packaging	Water So	luble Packaging	2. Type of Cont	ainer
Yes	Ves	Y.	35	Me	
Vo No	No)	I Pla Gla	stic Iss
Certification must	If "Yes" No. p Unit Packaging wgt. contr		No.per wgt container		
e submitted		· 20	Andr containet		ner (Specify)
. Location of Net Contents	Information 4. Size	(s) Retail Container	r	ocation of Label Di	rections
Label (Container	20 - 100 gi	rams	On label	
. Manner in Which Label is		Lithograph Paper glued Stenciled	Other	·····	
		Sectio	n - IV		
. Contact Point <i>(Complete</i>	items directly below for ident			cessary, to process	this application.)
ame		Title	· · · · · · · · · · · · · · · · · · ·		phone No. (Include Ares Code)
John Lublinkhof		Director o	f Regulatory Affairs	608	-241-0202
······································	Cei	rtification			6. Date Application
	ments I have made on this for				
both under applicable	y knowlinglly false or mislead law.	and processing way		r insprisonment or Group	(Skainped)
. Signature	Λ .	3. Title		ι	υ.
Alm 1	fille Ind	Director o	f Regulatory Affairs	. (باربر ۱۹۹۵) ۱۹۹۵) ۱۹۹۵)	
Typed Name		5. Date	· ·	 برد ر ن ر .	
n 1 - Januar Aras da Bandada andi		May 19.2	2008	e si j	0

3/14

Section II (Explanation)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please see attached label incorporating the changes. The changes are highlighted in gray in the Storage and Disposal section.

TALPIRID

MOLE BAIT

NOTIFICATION

5/14

JUL 1 1 2008

KILLS MOLES

EFFECTIVE AGAINST MOST COMMON MOLE SPECIES MIMICS A MOLE'S NATURAL FOOD SOURCE READY TO USE

Scientifically designed and tested to mimic a mole's natural food source. Moles may consume a lethal dose in a single feeding, but it may take two or more days from the time of bait consumption for moles to die.

ACTIVE INGREDIENT:		
Bromethalin (CAS #63333	-35-7):	0.025%
INERT INGREDIENTS	•••••	<u>99.975%</u>
	TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

•Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

TALPIRID contains Bromethalin – an oxidative phosphorylation inhibitor. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

NET WEIGHT: Range: 20 – 100 g

Manufactured by:

Bell Laboratories, Inc. Madison, WI 53704

EPA REG. NO. 12455-101

EPA EST. NO. 12455-WI-

This Section For Product Label Identification Purposes Only: TALPIRID, EPA Reg. No. 12455-101, Container Label

DIRECTIONS FOR USE

•/,4

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

READ THIS LABEL: Read this entire label and follow all use directions and use precautions

IMPORTANT: Do not expose children to this product or use it for any purpose other than to control moles. To help prevent accidents:

- 1. Store product not in use in locations out of the reach of children and pets.
- 2. Follow all application directions and USE RESTRICTIONS on this label. Apply bait only in underground runways of moles. Keep pets out of treated areas. Do NOT use this product above ground.
- 3. Dispose of product container and unused or spoiled product as specified on label.

USE RESTRICTIONS: This product may only be used in lawns, parks, around homes, golf courses, ornamental gardens, nurseries and other non-crop grassy areas to control eastern moles (*Scalopus aquaticus*), star-nosed moles (*Conylura cristata*) or *Scanapus spp*. This bait must be applied underground in either main underground runways or in subsurface feeding tunnels. This bait may not be used above ground. Wear gloves when bait is handled.

SELECTION OF TREATMENT AREAS: The presence of moles may be indicated by a network of subsurface runways in the turf or by a series of conical mounds of earth pushed up from deep burrows. Subsurface runways are indicated by raised ridges of vegetation and soil caused by moles foraging for food just below the soil surface. These runways are especially noticeable when the grass above them turns yellow. Conical mounds may be indicative of the location of deeper main underground runways.

APPLICATION DIRECTIONS:

(Qualifier statement for package containing worm shaped baits:) Remove and place worm shaped bait according to use directions below and ADDITIONAL GRAPHICS AND TEXT.) (Qualifier statement for package containing grub shaped baits: Remove and place grub shaped bait according to use directions below and ADDITIONAL GRAPHICS AND TEXT.)

SUBSURFACE RUNWAYS: TALPIRID has been specially designed to mimic the natural food sources of the mole. To achieve maximum effect, TALPIRID should only be placed in areas used habitually by moles for feeding.

ESTABLISHING INITIAL ACTIVITY: Use your finger, small wooden dowel or a narrow rod to puncture a hole in the top of subsurface runways. Be careful not to crush runways. Mark opened runways and revisit them 48 to 72 hours later. Runways that have had holes resealed within 72 hours should be baited.

BAITING ACTIVE RUNWAYS: Make a hole in the top of the runway with a rod slightly larger than the diameter of the bait. Drop one worm into the runway, using the rod to push any exposed bait completely into the runway. Carefully reseal the runway with a small amount of dirt to exclude light. Repeat bait application every 5 to 10 feet of each active subsurface runway.

(Alternate language for package containing grub shaped baits only:)

BAITING ACTIVE RUNWAYS: Make a hole in the top of the runway with a rod slightly larger than the diameter of the bait. Drop two grubs (one placement) into the runway, using the rod to push any exposed bait completely into the runway. Carefully reseal the runway with a small amount of dirt to exclude light. Repeat bait application every 5 to 10 feet of each active subsurface runway.

7/14

DETERMINING BAITING RESULTS: Five (5) to 7 days after bait application, check for mole activity using the same procedure for determining initial activity. Return 48 to 72 hours later and retreat all active runs.

MAIN UNDERGROUND TUNNELS AND CONICAL MOUNDS: Moles construct deeper tunnels that are not visible from the surface. These deep tunnels systems are often marked by a series of conical mounds (piles of dirt) 4 to 12 inches high formed when dirt is pushed to the surface when moles construct these tunnels. To locate deep tunnels, push a probe, such as a broom handle, into the soil between mounds. When the probe enters a tunnel, the resistance on the probe will decrease rapidly. Mark opened tunnels and revisit them 48 to 72 hours later. Runways that have had holes resealed within 72 hours should be baited.

To bait deep tunnels, drop one TALPIRID worm through the probe hole, using the probe to push the bait completely into the tunnel. Cover the hole with a piece of sod, a small rock or a piece of newspaper to allow for visual inspection. Repeat bait application every 5 to 10 feet of each active deep tunnel and within 5 feet of each active conical mound. Check for the effects of treatment 5 to 7 days after bait application using the same procedure for determining tunnel location. Return 48 to 72 hours later and retreat all active tunnel systems.

(Alternate language for package containing grub shaped baits only:)

To bait deep tunnels, drop two TALPIRID grubs (one placement) through the probe hole, using the probe to push the bait completely into the tunnel. Cover the hole with a piece of sod, a small rock or a piece of newspaper to allow for visual inspection. Repeat bait application every 5 to 10 feet of each active deep tunnel and within 5 feet of each active conical mound. Check for the effects of treatment 5 to 7 days after bait application using the same procedure for determining tunnel location. Return 48 to 72 hours later and retreat all active tunnel systems.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE**: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for

recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Call your local waste agency for any questions on proper disposal.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling are contrary to label instructions.

Alternate Environmental Hazards Language for packaging intended solely for household consumer use:

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water.

Alternate Storage and Disposal Language for packaging intended solely for household consumer use:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partially filled:** Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

8/14

<u>INNER CONTAINER – ABBREVIATED LABEL</u>

TALPIRID

KEEP OUT OF REACH OF CHILDREN CAUTION

9/14

See outer container for additional precautionary statements.

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-:	35-7):	0.025%
INERT INGREDIENTS		<u>99.975%</u>
	TOTAL	100.00%

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.Have person sip a glass of water if able to swallow.

•Do not induce vomiting unless told to do so by the poison control center or doctor. **IF ON SKIN**:

•Wash with plenty of soap and water.

NOTE TO PHYSICIAN OR VETERINARIAN

TALPIRID contains Bromethalin – an oxidative phosphorylation inhibitor. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. See outer box for full "DIRECTIONS FOR USE" text. See outer box for full "STORAGE AND DISPOSAL" text.

NET WEIGHT: 10-50 g

Manufactured by:

Bell Laboratories, Inc. Madison, WI 53704

EPA REG. NO. 12455-101

EPA EST. NO. 12455-WI-1

NOTE: MUST BE USED UNDERGROUND

This Section For Product Label Identification Purposes Only: TALPIRID, EPA Reg. No. 12455-101, Container Label Page 5 of10


OPTIONAL MARKETING STATEMENTS FOR WORM SHAPED BAIT:

6 Placements
6 Worms – 1 Worm Per Placement
8 Placements
8 Worms – 1 Worm Per Placement
Contains 20 worm shaped baits (TWO Individually Sealed Trays of 10)
Worm Formula
Worm Shaped Baits
Available Exclusively From

OPTIONAL MARKETING STATEMENTS FOR GRUB SHAPED BAIT:

4 Placements 8 Grubs – 2 Grubs Per Placement Grub Formula Grub Shaped Baits Available Exclusively From

ADDITIONAL GRAPHICS AND TEXT FOR WORM SHAPED BAIT:



Other mole baits have been developed on the premise that moles are similar to rats and mice, when in reality moles are insectivores (insect eaters). Moles readily consume earthworms, and when available, grubs. In fact, more than 90% of a mole's average daily dietary requirements are from earthworms and grubs.


Thousands of hours of groundbreaking laboratory and field research have gone into the product you are holding. Talpirid has been carefully designed to mimic a mole's most common natural food source – earthworms and grubs. Moles may consume a lethal dose in a single feeding, but it may take two or more days from the time of bait consumption for moles to die.



This Section For Product Label Identification Purposes Only: TALPIRID, EP.4 Reg. No. 12455-101, Container Label Page 6 of10

1. Verify Active Runways

Use your finger, small wooden dowel or a narrow rod to puncture a hole in the top of subsurface** runways. NOTE: Be careful to not crush runway.



2. Bait Active Runways

Make a hole in the top of the runway with a rod slightly larger than the diameter of the bait.




3. Determine Baiting Results


Five to seven days after application, check for mole activity using the same procedure for determining initial activity. Return 48-72 hours later and retreat all active runs.



Mark opened runways and revisit them 48-72 hours later. Runways that have had holes resealed within 72 hours should he heited (See Step 2)



Drop one worm into the opening, ensuring that the worm is completely in the runway. No part of the worm should be exposed



Carefully reseal by pinching hole closed. If not possible, cover with a small rock. Repeat bait application every 5-10 feet of active runway.

Ϋ,4




** Deep tunnel/mound systems require a slightly different procedure. See bottom of package for details.

NOTE: All properties are susceptible to recolonization. However, properties near woods, fields, streams/lakes, etc. are especially prone to this. These areas will have to be continually monitored and retreated if activity returns.


To bait deep tunnels, drop one TALPIRID worm through the probe hole, using the probe to push the bait completely into the tunnel. Cover the hole with a piece of sod, a small rock or a piece of newspaper to allow for visual inspection. Repeat bait application every 5 to 10 feet of each active deep tunnel and within 5 feet of each active conical mound. Check for the effects of treatment 5 to 7 days after bait application using the same procedure for determining tunnel location. Return 48 to 72 hours later and retreat all active tunnel systems.

ADDITIONAL GRAPHICS AND TEXT FOR GRUB SHAPED BAIT):




Other mole baits have been developed on the premise that moles are similar to rats and mice, when in reality moles are insectivores (insect eaters). Moles readily consume earthworms, and when available, grubs. In fact, more than 90% of a mole's average daily dietary requirements are from earthworms and grubs.

Thousands of hours of groundbreaking laboratory and field research have gone into the product you are holding. Talpirid has been carefully designed to mimic a mole's most common natural food source – earthworms and grubs. Moles may consume a lethal dose in a single feeding, but it may take two or more days from the time of bait consumption for moles to die.



1. Verify Active Runways

Use your finger, small wooden dowel or a narrow rod to puncture a hole in the top of subsurface** runways. NOTE: Be careful to not crush runway.



2. Bait Active Runways

Make a hole in the top of the runway with a rod slightly larger than the diameter of the bait.



3. Determine Baiting Results

Five to seven days after application, check for mole activity using the same procedure for determining initial activity. Return 48-72 hours later and retreat all active runs.



** Deep tunnel/mound systems require a slightly different procedure. See bottom of package for details.

ensuring that the grubs are completely in the runway. No parts of the grubs should be exposed. Carefully reseal by pinching hole closed. If not possible, cover with a small rock. Repeat bait application every 5-10 feet of active runway.



Mark opened runways and revisit them 48-72 hours later. Runways that have had holes resealed within 72 hours should




Drop two grubs (one

placement) into the opening,


This Section For Product Label Identification Purposes Only: TALPIRID, EP.4 Reg. No. 12455-101, Container Label Page 9 of10 NOTE: All properties are susceptible to recolonization. However, properties near woods, fields, streams/lakes, etc. are especially prone to this. These areas will have to be continually monitored and retreated if activity returns.

To bait deep tunnels, drop two grubs (one placement) through the probe hole, using the probe to push the bait completely into the tunnel. Cover the hole with a piece of sod, a small rock or a piece of newspaper to allow for visual inspection. Repeat bait application every 5 to 10 feet of each active deep tunnel and within 5 feet of each active conical mound. Check for the effects of treatment 5 to 7 days after bait application using the same procedure for determining tunnel location. Return 48 to 72 hours later and retreat all active tunnel systems.

ADDITIONAL GRAPHICS WITHOUT TEXT FOR WORM SHAPED BAIT:



ADDITIONAL GRAPHICS WITHOUT TEXT FOR GRUB SHAPED BAIT:



051908

This Section For Product Label Identification Purposes Only: TALPIRID, EPA Reg. No. 12455-101, Container Label Page 10 of10