
 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u>X</u> Registration ___ Reregistration (under FIFRA, as amended)</p>	EPA Reg. Number: 12455-107	Date of Issuance: APR 22 2008
	Term of Issuance: Conditional	
	Name of Pesticide Product: Tomcat® Ant Killer	
Name and Address of Registrant (include ZIP Code): Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704		
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none">1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data. <p><i>Continued on page 2</i></p>		
Signature of Approving Official:  John Hebert, Product Manager Insecticide-Rodenticide Branch, Registration Division (7505P)		Date: April 22, 2008

3. Make the following label changes before you release the product for shipment:

- a. On page 1, revise the EPA Registration Number to read, "EPA Reg. No. **12455-107.**"
- b. It is recommended that you replace the phrase "Inert Ingredients" with "Other Ingredients," per Pesticide Registration Notice 97-6.
- c. On page 1, under the First Aid section, revise the text as follows:

IF SWALLOWED:

- **Call a poison control center or doctor immediately for treatment advice.**
- **Have person sip a glass of water if able to swallow.**
- **Do not induce vomiting unless told to by a poison control center or doctor.**
- **Do not give anything to an unconscious person.**

IF ON SKIN:

- **Take off contaminated clothing.**
- **Rinse skin immediately with plenty of water for 15-20 minutes.**
- **Call a poison control center or doctor for treatment advice.**

- d. It is recommended that you format the First Aid section in accordance with Pesticide Registration Notice 2001-1.
- e. On page 2, under the Use Restrictions and Application Directions sections, you may delete the phrase "(excludes fire ants)."
- f. In all instances where it occurs (including the additional marketing statements), you must qualify the term "ants" to exclude carpenter and pharaoh ants. These pests require additional efficacy data. Therefore, all references to "ants" should read as follows: **"ants (excluding carpenter and pharaoh ants)."**
- g. On page 3, under the Environmental Hazards section, revise the third sentence so it reads, **"Do not apply this product directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark."**
- h. On page 3, under the Environmental Hazards section, add the following statements: **"This product is toxic to birds and mammals. This product is highly toxic to bees exposed to direct treatment or residues on weeds."**
- i. For consistency with other products, it is recommended that you place the Storage and Disposal section in a box of solid line.

j. On page 5, delete the following optional marketing statements:

- Season Long Control
- Season Long Control Guaranteed
- Provides Season Long Control
- One Application Controls Fire Ants for the Entire Season
- One Application Controls Ants for the Entire Season
- Guaranteed to Kill – Colony – Queen – Mound
- Guaranteed to Kill – Colony – Queen
- Fast/Effective Mound Kill/Control
- Fast Acting
- Exclusive Formula
- Unique Metabolic Action

(“Season long” control claims are not supported for this product. Guarantee statements must be used in conjunction with a reasonable qualifier, such as “...or your money back.” “Fast” and “Effective” kill/control claims are not qualified, and therefore not permissible. “Exclusive” and “Unique” are unqualified claims, and therefore not permissible.)

4. For future submissions, make the following changes to your Confidential Statement of Formulation (Item 4 of EPA Form 8570-4):

- a. Revise the EPA Reg. No. so it reads, “EPA Reg. No. **12455-107**.”

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions, please contact Julie Chao at 703-308-8735 or chao.julie@epa.gov.

John Hebert
Product Manager
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

4/9

TOMCAT® ANT KILLER

ACTIVE INGREDIENT:

Indoxacarb (CAS# 173584-44-6):.....0.008%

INERT INGREDIENTS:.....99.992%
100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

IF ON SKIN:

- Wash with plenty of soap and water.

See Back/Side Panel for additional precautionary statements.

NET WEIGHT: 1-10 lb.

Manufactured by:



Bell Laboratories, Inc.
Madison, WI 53704

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**
APR 22 2008
**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**
12455-107

EPA REG. NO. 12455-XXX

EPA EST. NO. 12455-WI-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

USE RESTRICTIONS:

Use product **outdoors** only. For control of ants on lawns, perimeter of homes (*excludes fire ants*), in and around ornamental plants (flowers, shrubs and trees), in home gardens, on sidewalks, patios and driveways.

People and pets may return to treated area after product application has been completed.

APPLICATION DIRECTIONS:

How to Apply	<p><i>Mound Treatment:</i> Use 1 Tablespoon per 1 square foot of mound area. Sprinkle bait evenly around each mound in an area four times the area of the mound. Apply gently to avoid disturbing ants.</p> <p><i>Broadcast Application:</i> Use 1 pound per 1000 square feet (approx. a 40 foot x 25 foot area). Use a hand held, drop, or rotary broadcast spreader.</p> <p><i>Perimeter Application (excludes fire ants):</i> Apply a 5 foot wide band next to the home foundation. Use a hand held broadcast spreader.</p> <p>Do not use kitchen utensils for measuring. Keep measuring utensils with pest control products and away from children.</p> <p style="text-align: center;"><u>Spreader Settings for 1.0 lb/1000 sq. ft.</u></p> <table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"><u>Model</u></th><th style="text-align: left;"><u>Setting</u></th></tr> </thead> <tbody> <tr> <td colspan="2"><u>Drop Spreaders:</u></td></tr> <tr> <td>Scotts® AccuGreen® 1000, 2000 or 3000</td><td>8 ½</td></tr> <tr> <td>Scotts® EdgeGuard®</td><td>7 ½</td></tr> <tr> <td colspan="2"><u>RotaryBroadcast Spreaders:</u></td></tr> <tr> <td>Scotts® SpeedyGreen® 1000, 2000 or 3000</td><td>6 ½</td></tr> <tr> <td>Sta-Green® 4500</td><td>5 ½</td></tr> <tr> <td>EarthWay® 2000</td><td>11</td></tr> <tr> <td>EarthWay® 2050</td><td>9</td></tr> <tr> <td>Vigoro® 4300</td><td>5 ½</td></tr> <tr> <td colspan="2"><u>Hand Held Spreaders:</u></td></tr> <tr> <td>Ortho® Whirlybird®</td><td>4</td></tr> <tr> <td>Scotts® HandyGreen® II</td><td>4</td></tr> </tbody> </table> <p><i>Note: Spreader settings are approximate. Variation can occur due to variability and wear of the spreader, even among identical models. Check settings and calibrations on a small area to assure correct rate of application.</i></p>	<u>Model</u>	<u>Setting</u>	<u>Drop Spreaders:</u>		Scotts® AccuGreen® 1000, 2000 or 3000	8 ½	Scotts® EdgeGuard®	7 ½	<u>RotaryBroadcast Spreaders:</u>		Scotts® SpeedyGreen® 1000, 2000 or 3000	6 ½	Sta-Green® 4500	5 ½	EarthWay® 2000	11	EarthWay® 2050	9	Vigoro® 4300	5 ½	<u>Hand Held Spreaders:</u>		Ortho® Whirlybird®	4	Scotts® HandyGreen® II	4
<u>Model</u>	<u>Setting</u>																										
<u>Drop Spreaders:</u>																											
Scotts® AccuGreen® 1000, 2000 or 3000	8 ½																										
Scotts® EdgeGuard®	7 ½																										
<u>RotaryBroadcast Spreaders:</u>																											
Scotts® SpeedyGreen® 1000, 2000 or 3000	6 ½																										
Sta-Green® 4500	5 ½																										
EarthWay® 2000	11																										
EarthWay® 2050	9																										
Vigoro® 4300	5 ½																										
<u>Hand Held Spreaders:</u>																											
Ortho® Whirlybird®	4																										
Scotts® HandyGreen® II	4																										

Mowing	Avoid mowing 1 day before and after application.
Water/Rainfall	<ul style="list-style-type: none"> • Do not water in bait. • Do not water within 6 hours of a mound application or 24 hours of a broadcast application. • If rain occurs within 6 hours of a mound application or 24 hours of a broadcast application, adequate foraging of the bait may not occur and retreatment may be necessary.
When to Apply	<ul style="list-style-type: none"> • Apply when ants are active (usually when temperatures are greater than 70° F). • The best time to apply is in the early morning or late evening when ant foraging is at its peak. • Colonies will usually be destroyed within 3 to 7 days. Large mounds may require a repeat application. • Make a broadcast application every other month during warm months to keep ants from establishing/starting/forming new mounds, but limit number of ant bait broadcast applications in treated areas to 4 per year.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply where/when conditions could favor runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Do not apply this product directly to water. Cover, incorporate, or clean up granules that are spilled. Do not contaminate water when disposing of equipment rinse water or put product or rinse water down any drain.

STORAGE AND DISPOSAL

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets.

DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partially filled:** Place in trash or call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

HOW IT WORKS (*Optional section*)

Tomcat® Ant Killer contains the active ingredient, indoxacarb, in a formulation that is highly attractive to ants. Worker ants encounter the bait and quickly transport it back to the mound where it is fed to developing larvae. Indoxacarb is metabolically activated by the larvae into a highly toxic metabolite, which is then fed to other workers and the queen ensuring the rapid demise of the colony.

Ant colonies are started by newly mated queens that fly into an area, burrow into the ground and begin laying eggs. Flights may occur from spring to fall, often shortly after a rain. It takes several weeks for new mounds to appear. Combining broadcast applications with mound treatments eliminates/controls visible mounds and helps to prevent new mounds from forming.


OPTIONAL MARKETING STATEMENTS:

Treats X Mounds [Depends on Package Size]
 Treats X Square Feet [Depends on Package Size]
 Easy to Use
 Easy Spreading Granules
 No Mixing Required/Necessary
 Use Straight from the Container (Bag/Bottle)
 Mound or Broadcast Treatments
 No Watering Necessary
 No Watering
 No Watering Required
 Low Density Formula
 Kills Fire Ants
 Effective Kill of Fire Ants
 Effective Kill of Ants
 Kills Ants
 Kills the Queen(s)
 Kills the Mound
 No New Mounds
 Kills the Colony
 Controls the Mound [Plus Stops New Mounds from Forming]
 Controls the Colony [Plus Stops New Mounds from Forming]
 Stops New Mounds from Forming
 Plus Stops New Mounds from Forming
 No Mound Movement
 No Mound Movement Means Less Product Needed
 No Mound Movement Means No Additional Treatment
 Controls Mounds You See Plus Those You Don't
 Kills Mounds You See Plus Those You Don't
 Fire Ants Find/Pick Up Bait in Minutes
 Ants Find/Pick Up Bait in Minutes
 No Odor
 Odor-free

OPTIONAL MARKETING STATEMENTS (Continued):

Contains Indoxacarb
 Featuring Indoxacarb – Next Generation Fire Ant Control
 Featuring Indoxacarb- Next Generation Ant Control
 Improved Coverage
 Season Long Control
 Season Long Control – Guaranteed
 Provides Season Long Control
 One Application Controls Fire Ants for the Entire Season
 One Application Controls Ants for the Entire Season
 Guaranteed to Kill – Colony – Queen – Mound
 Guaranteed to Kill – Colony - Queen
 Guaranteed to Kill [or Your Money Back]
 Guaranteed Kill [or Your Money Back]
 Money Back Guarantee
 Easy Spread Granules
 Destroys the Mound
 Destroys/Kills the Mound/Queen/Colony in as Few as 3 Days
 Can be Applied as Broadcast or (Individual) Mound Treatment
 Kills the Queens(s) and/& the Colony/Mound
 Dual Action [Formula]
 Treat [Individual] Mounds or Broadcast [Your Choice]
 For Mound or Broadcast Treatment/Application
 Fast/Effective Mound Kill/Control
 Fast Acting
 Deep Reaching Formula
 Fire Ants Think it's Food
 Ants Think it's Food
 Great Value
 Exclusive Formula
 Kills Visible and/& Plus Hidden Mounds
 Next Generation Fire Ant Control
 Next Generation Ant Control
 Just Sprinkle/Shake and/& Walk Away
 No Mound Relocation
 Gets Down Deep to get the Queen(s)
 Worker Ants Feed the Queen(s) a Deadly Dose
 Easy Pour Spout
 Control Shake Handle
 Ready to Use
 Unique Metabolic Action
 Treats up [Your Choice] square feet
 Effectiveness increases as Ants Digest
 Ants Digestion Increases Effectiveness

OPTIONAL GRAPHIC WITHOUT TEXT



022208