

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE CHEMICAL SAFETY AND POLLUTION PREVENTION

May 17, 2012

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Decision 464604

332 5-915973

Attention: Mr. John Lublinkhof

Subject Rampage Pelleted Bait

EPA Reg. No. 12455-137

Your Notification of April 18, 2012

Purpose The Agency has received your submission for Application for Pesticide

> Notification under Pesticide Registration Notices (PRN) 1998-10 to add an additional brand name, with qualifier immediately following the additional

branch name: "Fastrac Pellets".

Review The Registration Division (RD) has conducted a review of this request for its

> applicability under PRN 1998-10 and has found that the action falls within the scope of this PR Notice, is acceptable will be posted on EPA's website.

Questions If you have questions about this letter, please contact me at 703-305-5407

(phone) or peacock.dan@epa.gov (E-Mail).

Sincerely,

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch

Daniel B. heavort

Registration Division (7505P)

File Dan Peacock, E:\DBP Documents\Backup, 16gb Flash

Drive\Notifications\Letters\Letters DPeacock\12455-137, 4-18-2012, Not,

mar claim, ltr 5-17-2012.doc

Location

Please read instructions on reve	erse before com	ng form.		Form A	pprove	OMB No.	2070-006	2/8 O. Approvel expires 2-28-9	
United States Environmental Protection Agency Washington, DC 20460					1	Registra Amendr Other	tion	OPP Identifier Number	
		Application	on for Pesti	icide - Sec	ction	1			
1. Company/Product Number 12455-137			2. EPA Product Manager John Hebert				3. Pro	oposed Classification	
Company/Product (Name) Rampage Pelleted Bait			PM# 7]110	
5. Name and Address of Applicant (Include ZIP Code) Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
			Section						
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			[[TIFICATION AY 1 7 2012	
Explanation: Use additional p Notification of a label action [Alternate brand name] Fa [Qualifier statement must in dose in a single night's fee	n per PR Notice astrac Pellets* mmediately follo	e 98-10. (Se	ee attached sta name] * Norw more days fro	atement). Revay rats, Room the time o	of rats	and House	mice us		
4 Manual This Broduct Will Be	Danks and Inc		Section -	- 111					
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No No * Certification must be submitted Vinit Packaging wgt. No. per container			Water Soluble Packaging Yes No If "Yes" Package wgt No. per Package wgt No. per			Metal Plastic Glass Paper	Metal Plastic Glass		
3. Location of Net Contents Information 4. Size(s) Ro			tail Container		5. Lo	cation of Labo		ns	
			hograph Other per glued enciled						
			Section -	IV					
1. Contact Point (Complete item	s directly below for	or identificatio	n of individual to	be contacted,	, if nec	essary, to pro	cess this	application.)	
Name John Lublinkhof							Telephone 608-241	No. (Include Area Code)	
I certify that the statement I acknowledge that any kn both under applicable law.	nowlingly false or r		all attachments					6. Date Application Received (Stamped)	
2. Signature John Cublinary			3. Title Director of Regulatory Affairs						
4. Typed Name			5. Date April 18, 2012						



3699 Kinsman Blvd. Madison, Wisconsin 53704 USA (608) 241-0202 • Fax: (608) 244-1056 www.belllabs.com

April 18, 2012

Mr. John Hebert PM #7
U.S. EPA Office of Pesticide Programs
Insecticide-Rodenticide Branch
Document Processing Desk
Room S-4900
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Subject: Rampage Pelleted Bait - Notification for Alternate Brand Name

EPA Reg. No. 12455-137

Dear Mr. Hebert:

Bell Laboratories, Inc. requests approval for the alternate brand name, Fastrac Pellets* (with a qualifier statement immediately following the brand name), *Norway rats, Roof rats and House mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die.

I have attached a CD using the new XML format which includes a completed application form 8570-1, Page 2 of the application form including additional information for Section II, and a copy of the proposed label (including the changes for 100 ft and burrow baiting).

If you have any questions or need any additional information, please do not hesitate to contact me at the telephone number above or via e-mail: jlublinkhof@belllabs.com.

Sincerely,

John Lublinkhof, Ph.D.

Director of Regulatory Affairs

Jehn Cublining

CD attached

012455-00137.20120418.Notification

RAMPAGE PELLETED BAIT

[Alternate Brand Name] Fastrac Pellets*

[Qualifier statement immediately following brand name] *Norway rats, Roof rats and House mice usually consume a toxic dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die.

This Product May Only be Used Inside and Within 100 Feet of Man-made Structures and For All Burrow Baiting

KILLS NORWAY RATS, ROOF RATS AND HOUSE MICE

KILLS ANTICOAGULANT RESISTANT NORWAY RATS, ROOF RATS AND HOUSE MICE

Norway rats, roof rats and house mice cease feeding after consuming a toxic dose.

KEEP OUT OF REACH OF CHILDREN OTIFICATION CAUTION MAY 1 7 2012

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison Bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

(See right side panel for First Aid and additional precautionary statements.) NET WEIGHT: 4 lb. to 50 lb.

Manufactured by:

Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

EPA REG. NO. 12455-137

EPA EST. NO. 12455-WI-1

Batch Code:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or nontarget animals to rodenticides. To help prevent exposure:

1. Store unused product out of reach of children and pets.

- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children from under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled or unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE RESTRICTIONS: This product can only be used to control Norway rats, roof rats and house mice in and within 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port of terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

This product may be applied to active rodent burrows to control Norway rats, and roof rats within or beyond 100 feet of buildings and man-made structures, provided that infestations of these rodents have been confirmed. Bait must be placed no less than 6 inches into active Norway/roof rat burrows. Do not broadcast bait. Because Norway/roof rat infestations may occur in areas farther than 100 feet from buildings and man-made structures when the rodents have ample supplies of food and cover, efforts should be made to remove food trash, garbage, clutter and debris.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact

with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

Rats: Apply 1 to 6 ounces of bait per placement (usually at intervals of 15 to 30 feet). Adjust the amount of bait applied to the level of rat feeding expected at each bait placement.

For treating burrows, use a long-handled spoon to place ½ to 1 ounce of bait deep into each active burrow entrance. Close burrows with soil 3 to 7 days after bait placement. Retreat burrow entrances that are reopened by rats. If the area where treated burrows are located is accessible to children and nontarget animals, check burrows every morning and evening to make sure that bait has not been pushed out of burrows. Remove and properly dispose of any bait that has become accessible to children or nontarget animals.

Mice: Apply ¼ to ½ ounce of bait per placement. Space placements at intervals of 8 to 12 feet in infested areas. Larger placements, up to 2 ounces, may be used at points of extremely high mouse activity.

Baiting Strategy: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity.

Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and properly dispose of all dead, exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers (including applicators) must wear long-sleeve shirt, long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved disposal facility or by incineration.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

OPTIONAL MARKETING STATEMENTS:

With Bromethalin

Kills Anticoagulant Resistant Norway Rats, Roof Rats, and House Mice

Norway Rats, Roof Rats and House Mice Cease Feeding After Consuming a Toxic Dose

For Use in and Around Homes and Buildings

For Use in and around Agricultural Buildings

Palatable Formulation

Mouse and Rat Bait

To help with indoor and outdoor Norway rat, roof rat, and house mouse control

Can be Used Indoors or Out

Pelleted Bait

Pellets

Pellet Formula

Pellet Formulation

Bulk Pellets

For Use in and Around Agricultural Buildings & Homes

Kills Norway Rats, Roof Rats and House Mice

Vibrant Purple Color

New Formula (statement to be used for 6 months)

OPTIONAL PICTURES:





Photo is not representative of a label placement.

041812