12455-138

7/10/2012

1/10

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D C 20460

JUL 1 0 2012



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr John Lublinkhof Bell Laboratories, Inc 3699 Kinsman Blvd Madison, WI 53704

Dear Mr Lublinkhof

Subject Formulation Change in Addition to Labeling Changes Tomcat Mouse Killer X EPA Registration No 12455-138 Decision No 461509

The confidential statement of formula dated February 15 2012 for the basic formulation has been reviewed and is acceptable All other previous basic confidential statements of formula are considered obsolete Per the product chemistry review dated June 1, 2012, please submit storage stability and corrosion data for this new formulation Additionally the labeling referred to above, submitted in connection with registration under the Federal Insecticide Fungicide, and Rodenticide Act, as amended, is acceptable A stamped copy is enclosed for your records Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment

**Note** Should you wish to add a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E) 40 CFR 156 10(a)(5) list examples of statements EPA may consider false or misleading In addition **regardless of whether a website is referenced on your product's label**, claims made on the website may not substantially differ from those claims approved through the registration process Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product constitutes acceptance of these conditions If you have questions about this letter, please contact Jennifer Gaines at (703) 305-5967 or via e-mail at gaines jennifer@epa gov

Surcerely yours John Hebert

Product Manager (07) Insecticide-Rodenticide Branch Registration Division (7505P)

# TOMCAT<sup>®</sup> MOUSE KILLER X

KILLS MICE


INCLUDES BAIT BLOCKS

This Bait Station is Resistant to Tampering by Children Use Indoors Only

ACTIVE INGREDIENT Bromethalin (CAS #63333 35-7) OTHER INGREDIENTS\*

\*Contains Denatonium Benzoate

0 01 % <u>99 99%</u> 100 00%



KEEP OUT OF REACH OF CHILDREN CAUTION

See right/left/back panels for First Aid and additional precautionary statements

NET WT

4 oz (112g) 8 x 0 5 oz Block Bait & 1 Refillable Bait Station to

16 oz (454g) 32 x 0 5 oz Block Bait & 1 Refillable Bait Station

**Batch Code** 

Manufactured by



**Bell Laboratories, Inc** 3699 Kinsman Blvd Madison WI 53704

EPA REG NO 12455 138

EPA EST NO 12455-WI-1

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling **READ THIS LABEL** Read this entire label and follow all use directions and use precautions Use only for the sites, pests and application methods described on this label


#### **USE RESTRICTIONS**

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS** For control only of house mice This bait station can only be refilled with the block bait sold with this station TOMCAT MOUSE KILLER X must be used in buildings with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored bait blocks in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store bait block refills out of reach of children and pets **SELECTION OF TREATMENT AREAS** Determine areas where house mice will most likely find and consume the bait Generally, these areas are along walls, by gnawed openings, in corners and concealed places

3/10

#### **APPLICATION DIRECTIONS**

While wearing gloves, place one block of bait in the bait station See additional GRAPHICS AND TEXT Place the bait station at highest point of activity along a wall or in corner where mice or their signs have been seen. If additional units are to be used, place bait stations at 8 to 12 foot intervals. While wearing gloves replace bait in bait station when bait is consumed or contaminated Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease in infested areas



**Follow-up** Wearing gloves, collect and properly dispose of any leftover bait or carcasses To discourage reinfestation, eliminate food, water and harborage as much as possible If reinfestation does occur, repeat treatment

r][0

#### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans and Domestic Animals

**CAUTION** Bait contents harmful if swallowed Keep away from children, domestic animals, and pets Any person who retrieves carcasses or unused bait following application of this product must wear gloves

#### FIRST AID

## HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

#### IF SWALLOWED

•Call a poison control center, doctor, or 1-877-854-2494

immediately for treatment advice

Have person sip a glass of water if able to swallow

•Do not induce vomiting unless told to do so by the poison control center or doctor

#### IF ON SKIN

1

•Wash with plenty of soap and water

#### TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once

#### NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin This product is not an anticoagulant type rodenticide For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish, birds and other wildlife Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

**Pesticide Storage** Store only in original container, in a cool dry place inaccessible to children and pets **Pesticide Disposal and Container Handling** Nonrefillable Container Do not reuse or refill this container except as described in the Directions for Use

If Empty Place in trash or offer for recycling if available

If Partly Filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

**WARRANTY** To the extent consistent with applicable law seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

## TOMCAT<sup>®</sup> MOUSE KILLER X

This Bait Station is Resistant to Tampering by Children Use Indoors Only

ACTIVE INGREDIENT Bromethalin (CAS #63333 35 7) OTHER INGREDIENTS\*

EPA REG NO 12455 138

0 01 % <u>99 99%</u> 100 00%

\*Contains Denatonium Benzoate

EPA EST NO 12455 WI 1

)

Net Wt 05 oz (14g) block bait

#### DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

This bait station can only be refilled with the block bait sold with this station

CAUTION See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS


If swallowed, call a poison control center, doctor, or 1-877-854-2494

Batch Code


Model No MR2a

#### **OPTIONAL MARKETING STATEMENTS**

House mice usually consume a lethal dose in a single night's feeding but it may take two or more days from time of consumption for them to die





)



7/10

### OPTIONAL GRAPHICS (CONT'D )






8/10

)

#### **OPTIONAL GRAPHICS (CONT'D )**




9/10

ł

#### **OPTIONAL GRAPHICS (CONT'D )**

)



062812

(0)(0)