

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

12455-153

EPA Reg.

Number:

Date of Issuance:

10/15/2020

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance: Conditional

Name of Pesticide Product:

F-Trac Mouse Killer I

Name and Address of Registrant (include ZIP Code):

Jennifer J. Klika Regulatory Affairs Manager Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Haul D. Salso for

Date:

10/15/2020

Venus Eagle, Product Manager 01

Invertebrate and Vertebrate Branch 3, Registration Division (7505P)

Office of Pesticide Programs

EPA Form 8570-6

- 2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Bromethalin GDCI-112802-1717

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 12455-153."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/05/2020
- Alternate 1 CSF dated 08/05/2020

If you have any questions, please contact Paul Di Salvo by phone at 703-347-0322, or via email at disalvo.paul@epa.gov.

Enclosure: Stamped Label

F-Trac® Mouse Killer I Page 1 of 8 October 9, 2020

Master Label: Outer Packaging Label

F-Trac® Mouse Killer I**

[Alternate Brand Name] Fastrac® Mouse Killer I

[Qualifier statement immediately following brand name]

**House mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die.

Mold Resistant

Moisture Resistant

KILLS HOUSE MICE

KILLS ANTICOAGULANT RESISTANT HOUSE MICE

House mice cease feeding after consuming a toxic dose.

This Bait Station is Resistant to Tampering by Children. For Use Indoors Only

ACTIVE INGREDIENT:

Bromethalin (CAS # 63333-35-7) 0.01%
OTHER INGREDIENTS†: 99.99%
TOTAL: 100.00%

†Contains Denatonium Benzoate

EPA EST. NO. 12455-WI-1^k EPA EST. NO. 12455-WI-2^p EPA EST. NO. 12455-WI-3^w

[superscript is first letter of the lot number]

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WEIGHT:

1 oz. x 1 Bait Station (28 g)

to

1 oz. x 16 Bait Stations (454 g)

ACCEPTED

10/15/2020

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 40455 450

12455-153

Manufactured By:



Bell Laboratories, Inc. 3699 Kinsman Blvd. Madison, WI 53704

Batch Code:

See back [bottom] [and] [side] panel[s] for

First Aid, additional Precautionary Statements, and Directions for Use.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.]

Text separated by / denotes and/or options.

Master Label: Outer Packaging Label

	FIRST AID
HAVE LABEL WHEN OBTAINING TREATMENT ADVICE	
If Swallowed:	 Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice. Have person sip a glass of water if able to swallow.
	 Do not give anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by the poison control center or doctor.
If on Skin:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
TREATMENT FOR PET POISONING	

If an animal eats this bait, call a veterinarian, or 1-877-854-2494 at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated on this label. DO NOT USE F-TRAC® MOUSE KILLER III [THIS PRODUCT] OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional text.]

Text separated by / denotes and/or options.

Master Label: Outer Packaging Label

For control only of house mice. F-Trac® Mouse Killer I [This Product] must be used in buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station at point of highest activity beside burrows, along a wall, or in corners where signs of house mice have been seen. If additional units are to be used, place bait station at 8- to 12-foot intervals. of house mouse activity in infested areas. To monitor for replacement, view bait via lid. While wearing waterproof gloves, remove bait station if bait has been consumed or contaminated. Replace bait station with a new one if house mouse activity continues at that location.

Follow-up: Wearing waterproof gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

Product Information:

- Stations can be used horizontally or vertically.
- Mice will eat a small amount of bait and leave the station. You likely will not find a dead mouse in the station.
- Mice will eat a small amount of bait and cease feeding after consuming a toxic dose. They then leave the station. You likely will not find a dead mouse in the station. [Mice cease feeding after consuming a toxic dose, so there may not be large amounts of bait missing from the station. This does not mean that the product is not working.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. **Pesticide Disposal and Container Handling:** Nonrefillable Container. Do not reuse or refill container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

F-Trac Mouse Killer I Page 4 of 8 October 9, 2020 Master Label: Bait Station Label

F-Trac[®] Mouse Killer I

[Alternate Brand Name] Fastrac® Mouse Killer I**

[Qualifier statement immediately following brand name]

**House mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die.

This Bait Station is Resistant Tampering by Children . For Use Indoors Only

ACTIVE INGREDIENT:

Promothalin (CAS # 62222

Bromethalin (CAS # 63333-35-7) 0.01%
OTHER INGREDIENTS†: 99.99%
TOTAL: 100.00%

†Contains Denatonium Benzoate

EPA EST. NO. 12455-WI-1^k EPA EST. NO. 12455-WI-2^p

EPA EST. NO. 12455-WI-2^r EPA EST. NO. 12455-WI-3^w

[superscript is first letter of the lot number]

KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

NET CONTENTS: 1 oz. (28 g) NET WEIGHT: 1 oz. (28 g)

If swallowed, call a poison control center, doctor, or 1-877-854-2494

See Outer Packing Label for First Aid, additional Precautionary Statements, and Directions for Use.

Batch Code: Model No. MD2

Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

OPTIONAL MARKETING STATEMENTS:

House mice usually consume a lethal dose in a single night's feeding but it may take two or more days from time of consumption for them to die.

Can [May] be Used [Placed] Horizontally or [and][&] Vertically

Child [Kid] Resistant [Bait] Station

Child [Kid] Tamper-Resistant [Bait] Station

Child [Kid] Tested [Bait] Station

Contains Bromethalin

Contains 1 oz. bait [block bait]

Contains one bait station prefilled with 1 oz. bait [block bait]

Disposable [Bait Station]

Durable Design of [Bait] Station Is Child Resistant

For Use Indoors [Indoor Use][Use Indoors]

House Mice Cease Feeding After Consuming a Toxic Dose

House Mouse Bait Station

House Mouse Feeding Station

House Mouse Killer

Indoor [Use]

Kills House Mice

Made In USA

Mold and [&] Moisture Resistant Bait

Multi-Edge Shape Gives Rodents Gnawing Edges

No need to touch the bait when placing station

Only for Use Indoors

Pre-Baited [Pre-Filled]

Pre-Baited [Pre-Filled], Ready to Use Bait Station

Ready to Use [Bait Station]

Palatable Formula [Formulation]

Purple Bait [Color]

Purple [Colored] Bait

Results Guaranteed

*BELL LABORATORIES, INC. GUARANTEE: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price."

Note to PM: This disclaimer will be placed in the same vicinity of the packaging as the optional marketing claim it supports.

See Through Lid

See Through Lid for Easy Monitoring [Bait Monitoring]

Station Is Child [Kid] Resistant

Vibrant Purple Bait [Color]

Vibrant Purple [Colored] Bait

1[2][3][4][5][6][7][8][9][10][11][12][13][14][15][1 6] Disposable Bait Stations each Contain 1 oz. Bait [Block Bait]

Kills up to 12 mice*

* based on no-choice laboratory testing

Each block kills up to 12 mice*

* based on no-choice laboratory testing

Each station contains enough bait to kill up to 12 mice*

* based on no-choice laboratory testing

Note to EPA: Depending on the number of blocks in a package, we are requesting to use the following statements.

Enough bait to kill up to 12 [24] [48] [96] [192] mice*

* based on no-choice laboratory testing


This package contains enough bait to kill up to 12 [24] [48] [96] [192] mice*

*based on no-choice laboratory testing

Master Label: Outer Packaging Label and Bait Station Label

OPTIONAL GRAPHICS





[Image of Bromethalin Structure]













Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] Text separated by / denotes and/or options.

Master Label: Outer Packaging Label and Bait Station Label













Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.]
Text separated by / denotes and/or options.





Behind Appliances



Inside Cabinets



Garages



Basements



Attics

Must adhere to the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.





Horizontal



Vertical





DISPOSABLE





Photo is not a representative of a label-consistent bait placement

