

The presence of algae in outdoor swimming pools is objectionable because of the color, cloudiness, odor and increased chlorine demand on the water. The use of Algaecide concentrate will help to maintain the water in a clean condition.

Algaecide Concentrate is compatible with the usual water treatment chemicals. By controlling algae growth with Algaecide Concentrate, the chlorine demand of the pool may be reduced.

### DIRECTIONS SWIMMING POOL ALGAE

1. In freshly filled pools or pools showing no visible algae growth, add one quart Algaecide Concentrate per 50,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one quart of Algaecide Concentrate for each 10,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one quart Algaecide Concentrate per 25,000 gallons of water.
3. If the pool water treated as in (1) or (2) above is recycled, add one quart of Algaecide Concentrate per 50,000 gallons of water every five to seven days, to maintain between two and five parts per million of active ingredient. See serviceman for test kit.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered, it should be tested periodically to determine the active ingredient content. When necessary, one quart Algaecide Concentrate per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

### DANGER

Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

### FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes, then promptly get medical attention. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. If swallowed, do not induce vomiting, drink large quantities of fluids and get medical attention immediately.

### NOTE TO PHYSICIAN


Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Please empty container thoroughly with water and discard it.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters.

Mfd. by **AQUA CHEMICAL CORP.**, Springfield, Mass. 01108

E.P.A. Reg. No. 12465-2



# ALGAECIDE CONCENTRATE

APPROVED  
May 3, 1973  
UNDER THE FEDERAL INSECTICIDE  
ACT AND THE FEDERAL FOOD, DRUG AND  
COSMETIC ACT  
EPA REG. NO. 12465-2

### ACTIVE INGREDIENTS

Methyldodecylbenzyl trimethyl ammonium  
chloride 80%, Methyldodecylxylylene bis  
(trimethyl ammonium chloride) 20% 40%

### INERT INGREDIENT

60%  
Total 100%

**DANGER: KEEP OUT OF REACH OF CHILDREN**  
See back panel for additional precautions.

NET CONTENTS ONE QT.

The presence of algae in indoor swimming pools is objectionable because of the color, cloudiness, odor, and increased chlorine demand of the water. The use of Algaecide will help to maintain the water in a clean condition.

Algaecide is compatible with the usual water treatment chemicals. By controlling algae growth with Algaecide the chlorine demand of the pool may be reduced.

#### DIRECTIONS

1. In freshly filled pools or pools showing no visible algae growth add one gallon Algaecide per 25,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one gallon for each 10,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one gallon Algaecide per 25,000 gallons of water.
3. If the pool water treated as in (1) or (2) above is recycled, add one gallon of Algaecide per 50,000 gallons of water every five to seven days, to maintain between two and five parts per million of active ingredient. See serviceman for test kit.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one gallon Algaecide per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

## DANGER

### Keep Out of Reach of Children

Corrosive, Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### HARMFUL IF SWALLOWED

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## CAUTION

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters.

Apply this product only as specified on this label

Rinse empty container thoroughly with water and discard it.

MANUFACTURED BY AQUA CHEMICAL CORP.  
SPRINGFIELD, MASS. 01108



E.P.A. REG. 12465-12

**AQUA GUARD**