DIRECTIONS FOR USE AQUA MAID CHLORINE TABLETS FAST DISSOLVE help prevent the growth of algae in swimming pools. Place tablet in plastic dissolving basket or pool skimmer. Avoid metal objects.

Before using AQUA MAID CHLORINE TABLETS FAST DISSOLVE for the first time, pool water should be stabilized with AQUA MAID STABILIZER at the rate of 4 lbs. per every 10,000 gallons of pool water. Stabilizer increases the effective life of chlorine by minimizing loss due to the sun. Add the Stabilizer slowly to the pool skimmer. Do not backwash filter for two days after this application.

With a shock dose of AQUA MAID CONCENTRATED POOL CHLORINE treat the pool at a rate of 2 oz. per 1,000 gallons of pool water. After several hours, check the chlorine residual with a reliable test kit. Level must be between 1.0 PPM and 2.0 PPM. If the level is less than this, repeat shock treatment.

Place 3 oz. of tablets in the pool skimmer or dissolving basket to provide daily chlorination of 1.5 PPM for each 10,000 gallons of pool water. Add more tablets if necessary to maintain a chlorine residual of 1.0 PPM to 2.0 PPM.

Test pool water frequently with a suitable chlorine test kit to maintain your chlorine residual.

During heavy bathing loads, it may become necessary to super-chlorinate or shock the pool with AQUA MAID CONCENTRATED POOL CHLORINE at the rate of 2 oz. per 1,000 gallons of pool water. Swimmers should not be permitted in the pool until the chlorine residual has reached a level of 1.0 to 1.5 PPM.

Chlorine is most effective in water having a pH level of 7.2 to 7.8 PPM. Adjust accordingly using either AQUA MAID pH INCREASE or DECREASE.



· ,

ł

1246...6

ACCEPTE

AG . . . hell activity A. A. CHERRY ne provinské stalovaní stalovaní stalovaní stalovaní stalovaní stalovaní stalovaní stalovaní stalovaní stalovan STAB ns at preservative set at the of character and the second Stat 200 A. Bsh filler for the state

1. 31

.

1 :

15月11日 111

37. A.S. 2. 4.

AQUA MAR NE MELATIC I the Provide a tate the Providence Nater Attorney and a 15 Nith a model of the training of the nd 2 (print of the in the second Ily charters

Car י ז**ר** 11112 e ' ' ' , , P .: 5 C⁺ • • hes

 \mathbf{o}^{\dagger} it effe Att of the second se **CHLORINE TABLETS FAST DISSOLVE**

Completely soluble

ACTIVE INGREDIENTS: Trichloro-s-Triazinetrione 67% Sodium Carbonate 33% 100% Available Chlorine 56% DANGER: KEEP OUT OF REACH OF CHILDREN. See side panel for other warnings and precautions.

WEIGHT . LA

EA

DANGER

KEEP OUT OF REACH OF CHILDREN

If taken internally, feed gruel or cooked cereal, followed by olive oil or cooking oil. Call physician.

Avoid contact with skin; flush with water after contact.

Keep away from eyes. For eyes, flush immediately with plenty of cold water for 15 minutes. Call a physician.

This product is a very strong oxidizing agent. Keep away from heat, flame or moisture. Keep container covered in a cool, dry place. Avoid contamination with foreign matter. Do not mix with other pool chemicals. Dissolve in water only.

Avoid breathing dust or fumes.

EGISTER. SUBJECT

Z O

ND

90

IGNN

0

M

MMENTS

Rinse empty container thoroughly with water before discarding. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds or public water.

Keep from contact with clothing and other combustible materials. Store in a tightly closed container.

POOL FORMULA

Rectangular or Square Pools: Length X Width X Average Depth (in feet) X 7.5 gives pool capacity in gallons.

Round Pools: Diameter X Diameter X Average Depth (in feet) X 5.9 gives pool capacity in gallons.

Manufactured by AQUA CHEMICAL CORPORATION 1 ALLEN STREET SPRINGFIELD, MASS. 01108

•