Algaecide is compatible with all chemicals used for treating swimming pool water. It works best in slightly alkaline water having a pH of between 7.2 and 7.8. Algaecide is simply poured into the water from any point. It quickly distributes itself throughout the entire pool. In pools equipped with a circulating system it may also be added through the filter.

## **DIRECTIONS**

FOR INITIAL TREATMENT OF POOLS FREE OF VISIBLE ALGAE, USE:

One gallon for each 18,000 gallons of water

One  $\frac{1}{2}$  gallon for each 9.000 gallons of water

FOR MAINTENANCE TREATMENT USE:

1/2 gallon for each 18,000 gallons of water

One quart for each 9,000 gallons of water

MAINTENANCE TREATMENT should be given once every 3.5 days. If high temperatures prevail or if pool has unusually heavy use add maintenance dosage more frequently.

## **WARNING**

Do not get in eyes, or skin or on clothes. Use mask or face shield when handling. Causes severe eye damage and skin irritation. In case of contact flush eyes and skin with water for at least fifteen minutes. For eyes get medical attention. Avoid contamination of food. Re.nove and wash contaminated clothing before reuse.

## HARMFUL IF SWALLOWED

## FIRST AID

If swallowed do not induce vomiting. Drink large quantities of fluids and call a physician immediately.


## KEEP OUT OF REACH OF CHILDREN

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams public waters or ponds. Rinse empty container thoroughly with water and discard it.

MANUFACTURED BY

AQUA CHEMICAL COMPANY SPRINGFIELD, MASS. 01108





E.P.A. Est. No. 12465-MA-1

E.P.A. Reg. No. 12465-21

WARNING KEEP OUT OF REACH OF CHILDREN


See Other Warnings on Back of Label NET CONTENTS: ONE GALLON

# ACC 1

- the let the last of the same of the augmentation of the same of th
- The state of the s

1, 10,





TON A THOUSAND MAIL

WARNING KEEP AT A DEAL OF COLOUR S

(ALGACCIDE 100)

. . . .

# "AQUAÇARE ALGAEQIDE

Annacare is compatible with all chemicals used for treating swimming pool water it works best in sightly aikaline water have a pH or between 7.2 and 7.8. Agains as simply poured into the water from any point. It quickly distributes itself throughout the entire pool. In pools a pped with a circulating system it may also be added through the filter.

DIRECTIONS
INITIAL TREATMENT upon filling poets and to pools free of visible algae ad \*\*
One Gation for each 25,000 Gations of

One Half Gallon for each 12,500 Gallons of water

MAINTENANCE TREATMENT Add:
One Half Gallon for each 25,000 Gallons
of water

One Quart for each 12,500 Gallons of water

If pool has visible algae growth, treat with initial dose. Vacuum pool after 24 hours to remove algae debris. Repeat this treatment procedure as necessary. When pool is free of visible algae, use the recommended maintenance dose. Maintenance treatment should be given once every 5 to 7 days. If high temperatures prevail or if pool has unusually heavy use, addimaintenance dose more frequently.

winter USE: Add to a clean phol at the rate of 1 Gallon for each 25,000 gallons, or a gallon for each 12.500 gallons of look water, before shutdown at end of swimming season. Allow to circulate Repeat treatment above, but with no filter agitation, 4 to 6 weeks before resurning the vipcol operation.

## DANGER

### Keep Out of Reach of Children

Corros ve Causes eye damage and skin or intation. Do not get in eves, on skin or on clothing. Wear goggles or face shield and rubber gloves when hand ing. Harmful or fatal if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immed ately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, geld tin solution or if these are not available, drink large quantities of water. Avoid all cohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## CAUTION

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters.


Do not contaminate water by cleaning equipment or disposal of wastes

Apply this product only as specified on this label

Rinse empty container thoroughly with water and discard it.

MANUFACTURED BY AQUA CHEMICAL CORP.

SPRINGFIELD, MASS 01108



, E.P.A. Reg. No. 12465-22

E.P.A. Est. No. 12465-MA-1

A:51