

ACCEPTED

12465-32

DEC 7 1970

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
EPA REG. NO. 12465-32
EPA UNDER NO.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner in-
consistent with its labeling.
Do not handle this product with bare hands. Use gloves or
thoroughly clean dry utensils.

START UP

Before using tablets for the first time, pool water should be
stabilized. Follow directions on Conditioner or Stabilizer label.
Adjust and maintain the pH in the range of 7.2-7.8 using pH in-
crease or pH Decrease as indicated by a reliable test kit. Adjust
and maintain total alkalinity at 80-100 ppm based on test results
and label directions on Total Alkalinity Control. With a shock
dose of 2 oz. per 1,000 gallons, use a concentrated chlorinating
chemical such as Shock Treatment. Regularly establish a free
chlorine residual of 1.0-1.5 ppm. Repeat this step if necessary
until residual is maintained.

DAILY

Each tablet weighs 1/3 ounce. Suggested dosage is 6 tablets per
10,000 gallons.

These tablets may be used in various types of feeding devices,
such as a floating dispenser or automatic chlorinator. Adjust
feeding device according to manufacturer's directions to assure a
consistent treatment level of 1.0-1.5 ppm of free chlorine
residual, determined by a reliable test kit. Dosage rate of feeding
device may vary due to unusual conditions such as high
temperature, heavy bather load, low rate pH, teens, wind and
rain. Therefore frequent use of test kit is recommended.

Do not add tablets directly to pool or mix with other chemicals.
Avoid metal objects.

SHOCK TREATMENT

It may be necessary to repeat shock dosage on a weekly basis if
algae appears, even though chlorine levels are noted. Heavy bather
high bather load or high temperature occurs. Use a reliable test
kit indicates presence of combined chlorine in excess of 0.2 ppm.
Test pool water frequently to maintain proper pH, total alkalinity
and free chlorine levels. If shock dose is used, do not use product
until chlorine residual has dropped below 1 ppm.

WINTERIZING

These tablets are excellent for winter use in maintaining water
clarity and killing most bacteria under a winter cover. Add tablets to
a dispenser according to directions. Do not permit tablets to
come in direct contact with a vinyl liner.

MANUFACTURED BY
AQUA CHEMICAL CORP
SPRINGFIELD, MA

AquaMaid



"300" SLOW-TAB

STABILIZED CONCENTRATED
CHLORINATING TABLETS

DANGER
KEEP OUT OF REACH OF CHILDREN

EPA EST NO 12465-MA-1

EPA REG NO 12465-32

See First Aid and Precautions on Back Panel

NET WEIGHT: 3 1/2 LBS.

BEST DOCUMENT AVAILABLE

34

Keep prod.
Store in a
flame proof
hood with lid
discarding in
area of du.

AquaMaid



"300" SLOW-TAB

STABILIZED CONCENTRATED
CHLORINATING TABLETS

DANGER
KEEP OUT OF REACH OF CHILDREN

EPA EST. NO 12465-MA-1

EPA R. G. NO 12465-32

See First Aid and Precautions on Back Panel

NET WEIGHT: 3 1/2 LBS.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER - Irritant. Causes skin and eye irritation. May cause dizziness and headache. Avoid contact with clothing. Avoid contact with food. Avoid breathing dust. Wash hands thoroughly after use.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not discharge into lakes, streams, ponds, or other waters unless in accordance with an NPDES permit. For guidance, contact the regional office of EPA.

**PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT**

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, explosion, or release of toxic gases and possible generation of fire and fumes. Contain in case of contamination or decomposition. Do not reuse container if possible. Separate container if used in a well ventilated area. Flush with large amount of water if necessary.

FIRST AID
If swallowed, feed bread soaked in milk, followed by water and sticking to a physician immediately.
If on skin, brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
If in Eyes, Flush with cold water for at least 15 minutes. Get medical attention.

STORAGE AND DISPOSAL
Keep product dry. If fully exposed, transfer what you can to a clean, dry, well-ventilated area away from heat or open flame. In case of fire, extinguish with water. If possible, use large amounts of water to dissipate heat. If material is spilled, discard. Place in a sturdy container for disposal. Do not mix with other materials.

AVAILABLE



34

3



Handwritten initials or mark.

200-200-117
379


DIRECTIONS FOR USE

START

WATER TREATMENT

WATERING

MADE BY
AQUA CHEMICAL CORP
CHANDLER, MA



AquaMaid

"300"
SLOW-TAB
STABILIZED CONCENTRATED
CHLORINATING TABLETS

ACTIVE INGREDIENTS Trichloro-S-Triazinetrione 100%
Available Chlorine 90%

DANGER
KEEP OUT OF REACH OF CHILDREN

EPA EST NO 12465 MA 1 EPA REG NO 12465 31

See First Aid and Precautions on Back Panel

NET WEIGHT: 3 1/2 LBS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

DANGER

ENVIRONMENTAL HAZARDS

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT

FIRST AID

STORAGE AND DISPOSAL

BEST DOCUMENT AVAILABLE